



Safety Footwear Catalog

Fall 2026

Men's Pull On Safety Boots

Ariat 10024968 \$230.00



These Ariat's are waterproof lined with a waterproof full-grain leather. They feature a carbon toe that is non-metallic for electronic security working conditions. The Duratread outsole is oil/slip resisting, with a shock-absorbing EVA midsole with ESS protection and support. Inside you can find a rebound foam insole; ATS MAX comfort technology. The 11 inch shaft includes the patented U-Turn entry system making pulling on your boot easier. ASTM F3445-21

Justin CR4019 \$215



These waterproof, composite toe work boots are built to handle long days in wet, demanding conditions. Including a slip/oil resistant outsole. Durable materials help block moisture while a supportive fit delivers stability and comfort throughout the workday. EH rated. Designed for dependable performance, they keep you moving no matter the conditions.

ASTM F3445-21

Double H PH5010 \$182.00



The Double-H Phantom Rider has an 11" Brown Barnyard Acid Resistant Leather Upper. Includes a composite safety toe. Heavy Duty Pullholes to make your day easier. Mesh Lining with Waterproof Membrane. Electrical Hazard Rated 100% Non-Metallic. Goodyear Welt Construction with a Rubber Heel. EVA Midsole for comfort and Oil & Slip Resisting I.C.E.™ Equipped Outsole.

ASTM F3445-21

Ariat 10024992 \$180



This Ariat features a Steel Toe that meets ASTM F24 C/75 I/75 Standards. Inside is a 4LR™ lightweight stabilizing shank for support. The 10 inch shaft is made with waterproof PRO full-grain leather that helps keep your feet dry. A durable oil- and slip-resistant Duratread™ outsole that includes a 90° heel. EH rated.

ASTM F3445-21

Georgia GB00752 \$200



This new Georgia Pull On includes an Advanced Memory Polyurethane insole for comfort while meeting its EH requirements. Inside is also a carbon safety toe in the front and a heel-stabilizing counter lock in the back. You can find Georgia's expansion fit seam for ease. It features a heat, chemical, abrasion, and slip-resisting Carbo-Tec Rubber outsole. ASTM F3445-21

Ariat 10036002 \$230



With the American Flag that everyone wants to rep, you can also find a light carbon safety toe. Waterproof lining to keep your feet dry. This boot is EH rated and includes an oil and slip resistant outsole with cushioning for shock absorption. Don't forget the beloved patented U-Turn entry system that allows easier entry for those with high arches. ASTM F3445-21

Durango DDB0176 \$164



This waterproof square toe Durango includes a fiberglass shank. Full-grain leather with faux exotic elephant. Dual-Density Midsole with firmer shock absorbing heel for added stability. High abrasion heel counter plus rubber outsole with high abrasion rubber outer lugs for high-impact durability. Plus increased slip, oil and heat resistance. ASTM F3445-21

Thorogood 804-4343 \$155



Full-grain leather Composite safety toe Composite shank Rubber/EVA outsole Waterproof Removable single-density polyurethane footbed Goodyear welt construction ASTM F3445-21

Twisted-X MUNW005 \$207



Timeless Western style, work ready protection, and incredible lightweight comfort all culminate in The Men's 11" UltraLite X™ Work Boot. This waterproof pull-on boot features a nano composite safety toe and square toe design for classic appeal, while features like EH protection and a slip-resistant rubber outsole provide essential job site safety on dry, wet, and oily surfaces. Twisted X® UltraLite X™ Work Boots provide all the protection, comfort, and durability you need without the weight. ASTM F3445-21

Carolina CA8541 \$187



Crazy Horse Tan Leather Upper Composite Safety Toe Waterproof SCUBALINER™ Mesh Lining Removable Double Tuff Polyurethane Footbed Electrical Hazard Rated Welt Construction EVA Midsole Non-Metallic Shank Oil & Slip Resisting Rubber Outsole ASTM F3445-21

Carhartt FQ1414 \$196



From sun up to sundown the Montana delivers comfort and durability for those who think a long day is just another day. This square toe style is crafted with rugged leather and a Storm Defender™ waterproof membrane for enhanced durability and protection. Pull them on and feel the cushion and arch support from the INSITE® footbed for nonstop comfort until you punch the clock.

ASTM F3445-21

Justin HL4235 \$219.00



Leather upper Steel toe Pull-on style with pull tabs 11" shaft height Oil- and slip-resisting rubber outsole Electrical hazard protection Removeable footbed Stockman heel Steel Safety Toe- ASTM F2413-05 M I/75 C/75 Waterproof construction Style: HL4235 ASTM F3445-21

Ariat 10001200 \$219



Features and Benefits:

- Composite safety toe.
- Meets ASTM F24 C/75 I/75 standards.
- Electrical Hazard rated.
- Cushioning mid sole for shock absorption.
- Goodyear welt construction.
- Ariat's U-Turn Entry System for easy entry regardless foot shape.
- All-conditions Workhog with Western flair.
- Waterproof liner keep your feet dry in the snow.
- Ariat's highly abrasion-resistant oil- and slip-resisting outsole.

ASTM F3445-21



Justin PD4069 \$133.00

Electric Hazard - Our electrical hazard rated boots protect you from open electrical currents from the bottom up. Tested up to 18,000 volts. Slip Resisting - Designed with heavy-duty outsoles that influence the grip of the boot when walking on wet surfaces. Steel Toe - From the ranch to the construction site, our steel toe boots are the ideal solution for the working man and woman meeting industry standards for impact and compression. Waterproof - We use only the best construction and components to create waterproof boots that keep your feet dry no matter the conditions. ASTM F3445-21



Justin WR4149 \$163.00

Premium full-grain leather upper Nano composite toe Woven lining 11" shaft height Lace-up style OrthoLite removeable insert Sewn seat construction Vibram oil-, slip-, and puncture-resisting rubber outsole Electrical hazard rated Imported Style: WR4149 ASTM F3445-21



Timberland A44DG \$163

Asymmetrical composite safety toe Breathable membrane delivers waterproof protection and blood-borne pathogen resistance (available) Provides underfoot protection from electrical currents of less than 600 volts meeting ASTM standards Timberland PRO® Rubber outsole for durability and superior traction Anti-Fatigue technology comfort platform for shock absorption and energy return Lightweight Hover Spring foam features high-rebound performance for industry leading underfoot comfort Lug design combined with specific outsole compounds for slip-resistant performance including on contaminated, oily wet surfaces meeting the SRO requirements of ASTM 2413 when tested to F2913 Smart Comfort™ hidden seam expands for ease of entry Premium full grain leather upper Cement construction for lightweight flexibility Microban® technology provides an extra layer of protection on footwear fabrics to help against unpleasant odors, stains and deterioration ASTM F3445-21

Rocky RKW0475 \$169.00



Fiberglass shank Guaranteed Rocky® Waterproof construction ASTM F2413 protective toe classification Waterproof Full-Grain Leather Foot with Fancy-Stitch Shaft and Decorative Toe Bug Non-metallic Rocky® Air-Port Lite® Sponge PU Footbed with Memory Foam Anti-Microbial Mesh Top Expansion Fit Seam for easy on and off 11 Inches in height ASTM F2413 electrical hazard standard Oil & Slip Resisting Rubber Outsole Double-Row Stitch Flex Welt Construction Lightweight EVA Midsole

ASTM F3445-21

Twisted X MXBNW01 \$224.00



This Men's 12" Waterproof Nano Toe Western Work boot provides you the support and safety you need to survive the work day. This western work boot is handcrafted in traditional western boot profiles using signature full-grain leathers, air-mesh lining, taped seams, and a Twisted X® patent-pending CellStretch® comfort technology for superior comfort. These comfort features are paired with a waterproof lining, double-stitched storm welt, reinforced pull holes, and an EH-rated oil and slip resistant molded rubber outsole to produce an industry leading work boot. Nano Composite Safety Toe meets or exceeds ANSI standards ASTM F2413-18 M/I/C EH. Our Nano Safety Toe is made with carbon nanotubes woven together to create one of the strongest and lightweight safety toes, while still providing protection, comfort, and durability. Twisted X® Western Work boots provide all the comfort and durability that you need to outperform any demanding work environment.

ASTM F3445-21



Georgia GB00672 \$206.00
ASTM F2413-21

Heat, chemical, abrasion, and slip-resisting dual-density EVA and Carbo-Tec rubber outsole
Full-grain leather upper
Cement construction
Georgia waterproof system
Fiberglass shank
Alloy safety toe for lightweight protection
AMP (Advanced Memory Polyurethane) insole
ASTM F2413 electrical hazard standard
Ergo-Fit safety toe designed to match contours of feet, providing superior comfort and flexibility
ASTM F2413 protective toe classification
Abrasion-resistant DuraBlend midsole
11 Inches in height

Men's 8" Lace up Boots

Thorogood 804-3800 \$266



Features and benefits:

- Steel toe that meets ASTM F24 C/75 I/75 standards
- Full-grain leather
- Waterproof™
- Removable Ultimate Shock Absorption™ footbed
- Fiberglass shank
- MAXWear Wedge slip resistant outsole
- Goodyear storm welt construction
- Made in USA with USA and globally sourced components

ASTM F3445-21

Danner 17307 \$280



Features and Benefits:

- American made.
- Light alloy safety toe.
- Meets ASTM F24 C/75 I/75 standards.
- Electrical Hazard rated.
- Stitch-down construction.
- Oil and slip resistant Vibram rubber outsole. With a 90° heel.
- It features a Gore-Tex waterproof liner that allows moisture to get out.
- Hyper-strong thread is used to triple stitch our toughest boots.
- Non-linear lug pattern for superior traction and debris release.

ASTM F3445-21

Timberland A5U4Y \$168



Premium Timberland® full-grain leather upper with an internal waterproof membrane We are a member of the Leather Working Group Asymmetrical composite safety toe Electrical Hazard Protection Fiberglass shank for structural support Anti-Fatigue Technology polyurethane footbed for shock absorption and energy return Lightweight Hover Spring™ foam midsole provides industry-leading underfoot comfort, flexibility, and durability Breathable and moisture-wicking lining with antimicrobial treatment for odor control Top speed hooks for instant lacing Cement construction for flexibility Heat-, oil-, slip-, and abrasion-resistant, non-marking Timberland PRO® rubber convex outsole for superior indoor/outdoor traction Mark II oily wet #3 on American Olean tile at .43 ASTM F3445-21

Carolina CA8528 \$200



Features and Benefits:

- Light composite safety toe that meets ASTM F24 C/75 I/75 standards.
- Electrical Hazard rated.
- Goodyear welt construction.
- Oil and slip resistant rubber lug outsole. 90° heel.
- Waterproof liner to keep your feet dry.
- Cigar Leather Upper and features a Composite Safety Toe Cap.
- Triple-Rib Steel Shank for extra support.

ASTM F3445-21

Timberland 89628 \$219.00



Composite Safety Toe Waterproof Membrane Blood-borne Pathogen Resistant Electric Hazard Protection 600g Insulation Anti-Fatigue Technology - PRO 30-Day Comfort Guarantee ReBOTL™ Material All-Weather TPU Outsole Microban Odor Resistant Footwear Liner OrthoLite® Insoles ASTM F3445-21

Timberland A5SN6 \$232



This Boondock Ultralight Work Boot features a dual dial BOA® Fit System that delivers a micro-adjustable, precision fit in two distinct zones of the boot to independently secure the foot and ankle. The BOA® Fit System is engineered and guaranteed for all-day performance in any environment. For durability, it features Premium Timberland® leather that's abrasion-resistant and waterproof, along with a lining with an antimicrobial treatment to help prevent unpleasant odors, stains and deterioration. It's built with safety in mind, from the composite safety toe to the TPU outsole for slip-resistant traction, and is made to provide underfoot protection from electrical hazards. ASTM F3445-21

Thorogood 804-4398 \$258



NSI/ASTM I75 & C75 Approved ASTM F3445 Slip-Resistant Rated Men's Thorogood 8" Steel Toe Moc Toe Boot (U.S.A. Made) 804-4398 American Heritage Series Full-Grain American Leather Upper Removable Ultimate Shock Absorption™ Footbed Poron® Cushion Insole Composite Shank Goodyear Welt Construction MAXWear 90™ Oil & Slip-Resistant Outsole Electrical Hazard Rated Made In The U.S.A. with U.S.A. & Globally Sourced Components Color: Brown ASTM F3445-21

Steel Blue 812961 \$198



The Southern Cross Zip Scuff in Sand is a 6-inch boot with a durable TPU scuff cap and ErgoDefender™ Steel Toe Cap protection. Designed for rugged performance with an industrial grade side zip, TPU outsole, and Trisole® cushioning. ASTM F2413 compliant. ASTM F3445-21

TNL TW3430 \$204



Designed with a waterproof, water buffalo leather and built with a composite toe, this 8" High Range work boot is perfect for the work site. It features our Cushion Comfort® insole and our Dri-Lex® cover for all-day comfort. The rubber outsole will keep you firm on your feet no matter what the conditions are around you. ASTM F3445-21

Rocky RKK0528 \$163



The IronClad Legend 8" lace-up is built to take on the toughest jobs. Crafted with waterproof full grain leather, it has the Rocky guarantee to keep you dry. A high-abrasion, oil and slip resisting rubber outsole grips slick surfaces. The Rocky Air-Port lite sponge PU footbed is made with memory foam. Inside is a fiberglass shank to give you stability on all terrains. And you can't forget the electrical hazard rating for our composite toe. ASTM F3445-21

Steel Blue 898970 \$237



The Southern Cross BOA® Waterproof Brown is a durable 6-inch work boot designed for demanding environments, combining the convenience of the BOA® Fit System with advanced workplace protection. Featuring a lightweight composite safety toe, woven penetration-resistant underfoot protection, waterproof construction and a hard-wearing scuff cap, it delivers reliable performance without compromising comfort. ASTM F3445-21

Men's 4"-6" Lace Up Boots

A42FY \$155



ANSI/ASTM I75& C75 Approved Men's Timberland 6" Composite Toe Waterproof Work Boot A42FY Titan® EV Series Premium Full-Grain Waterproof Leather Waterproof Membrane Construction Breathable and Moisture-Wicking Lining with Anti-Microbial Treatment for Odor Control Anti-Fatigue Technology PU Footbed Fiberglass Shank Lightweight Hover Spring™ Foam Midsole Cement Construction Superior Indoor/Outdoor Traction and Slip-Resistant Rubber Convex Outsole Design Top Speed Hooks for Instant Lacing Asymmetrical Composite Safety Toe Electrical Hazard Rated Color: Teak Trailblazer ASTM F3445-21

Keen 1027663 \$181



Left and right asymmetrical, non-metallic carbon-fiber toes offer unobtrusive fit and are 15% lighter than steel KEEN.DRY waterproof, breathable membrane Nylon shank for midfoot support 90° heel provides stability and helps catch or lock the foot in place Electrical hazard (EH) or Electric Shock Resistant (ESR) footwear provides a secondary source of protection in case accidentally coming into contact with live electrical circuits Environmentally preferred premium leather from LWG-Certified Tannery PFC-Free, durable water repellent MATERIALS Full-grain barnyard resistant waterproof leather helps resist the damaging effects of oleic acid, urea, sodium chloride, and ammonium hydroxide Locking metal lace hooks Mesh liner provides breathability to help keep feet cool in warm environments Removable, dual-density PolyAer PU footbed with aerated pillow-top cushioning KEEN Luftcell: Air-infused, PU midsole for weightless comfort Oil- and slip-resistant non-marking rubber outsole ASTM F3445-21

Ariat 10048060 \$238



Height: 6" 1.75" heel height Round toe ATS technology provides ergonomic support on uneven terrain DRYShield waterproof breathable construction BOA Fit System delivers dialed in performance and micro-adjustable precision fit Removable Energy Max anti-fatigue insole for maximum comfort FLX Foam midsole has a light springy feel that cushions every step Oil- and slip-resisting Duratread sole for maximum wear resistance, passes hot contact test at 300°C/572°F Outdoor traction lugs with debris-releasing tread 90° heel Resolable Goodyear welt construction for durability Reinforced ExGuards reduce wear on toe and heel Lightly padded collar and tongue top ASTM F2413 M/I/C EH rated Non-metallic toe, meets ASTM standards for safety toe footwear ASTM F3445-21

Cat P91723 \$138



Waterproof full-grain leather Durable rubber outsole SRX for extreme slip resistance Cement construction 100% post industrial recycled lining Cushioned foam footbed Durable and lightweight EVA midsole 100% post industrial recycled sock lining with CLEANSPOORT NXT pro-biotic odor control Electrical hazard Slip resistant Composite toe Imported ASTM F3445-21

Rocky RKK0493 \$177



BOA® Fit System ASTM F2413 protective toe classification ASTM F2413 electrical hazard standard 6 Inches in height Waterproof Full Grain Leather Rocky® Air-Port Lite® Sponge PU Footbed with Memory Foam Guaranteed Rocky® Recycled Waterproof Construction Flex Welt Construction Oil, Slip, Barnyard Acid, and Chemical-Resisting PU Outsole ASTM F3445-21

Keen 1029149 \$138



KEEN.DRY waterproof, breathable membrane seals out moisture from the inside Heat-resistant rubber outsole rated up to 572°F/300°C Contoured heel guard helps protect against bumps, scrapes, wear, and tear Nylon shank for midfoot support Environmentally preferred premium leather from LWG-certified tannery for cleaner water PFAS-free, durable water repellent repels water just as well as forever chemicals without harming the planet ASTM F3445-21

Carhartt-FM6423-M \$155.00



ANSI/ASTM I75 & C75 Approved Men's Carhartt 6" Composite Toe WP Moc Toe Wedge Sole Metal Free Boot FM6423-M Millbrook Nano Toe Series Waterproof Leather Upper Storm Defender® Waterproof Breathable Membrane FastDry™ Technology Lining Wicks Away Sweat Insite® Footbed Carhartt LWD Lightweight Durable Midsole Durable Slip-Resistant Rubber Outsole 100% Non-Metallic Electrical Hazard Rated Color - Dark Brown ASTM F3445-21

Ariat 10063920 \$174.00



DRYshield waterproof breathable construction Premium full-grain leather All Day cushioning insole 50% recycled polyester lining Lightly padded collar and tongue top Cement construction Moc toe Lightweight, shock absorbing FLX Foam midsole ASTM F3445-21

Ariat 10054291 \$165



Non-metallic carbon safety toe, ASTM F2413 M/I/C rated Meets ASTM F2413 standards for electrical hazard resistant footwear 100% non-metallic, metal detector friendly Meets ASTM F3445 safety standards for slip resistance ATS® technology provides ergonomic support on uneven terrain DRYShield™ waterproof breathable construction Removable Energy Max™ anti-fatigue insole for maximum comfort Cushioning midsole for shock absorption Oil- and slip-resisting Duratread™ sole for maximum wear resistance, passes hot contact test at 300°C/572°F 90° heel Direct-attach construction for lightweight flexibility Reinforced ExGuards™ reduce wear on toe and heel Lightly padded collar and tongue top ASTM F2413 M/I/C EH rated 6" shaft height 1.5" heel height ASTM F3445-21

Thorogood 804-4135 \$249



ANSI/ASTM F2413 I75 & C75 Approved ASTM F3445 Slip-Resistant Rated American Heritage Series Men's Thorogood 6" Steel Toe Wedge Sole Moc Toe Boot (U.S.A.) 804-4135 Full-Grain Leather Upper Removable Ultimate Shock Absorption Footbed Poron® Comfort Cushion Insole Composite Shank Goodyear Storm Welt Construction MAXWear Oil & Slip-Resistant Wedge Sole Outsole Electrical Hazard Rated Made In The U.S.A. with U.S.A. & Globally Sourced Components Color: Crazy Horse ASTM F3445-21

Thorogood 804-4143 \$140



Height: 6" Full-grain leather Composite safety toe
Waterproof Non-metallic Removable single-density
Polyurethane footbed Composite shank EVA/Rubber
outsole Goodyear welt construction ASTM F3445-21

Thorogood 804-3676 \$258.00



ANSI/ASTM I75 & C75 Approved ASTM F3445 Slip-
Resistant Rated Men's Thorogood 6" Steel Toe WP
Wedge Sole Moc Toe Boot (U.S.A. Made) 804-3676
1957 Series Full-Grain American Leather Upper
Waterproof Construction Removable Ultimate Shock
Absorption™ Footbed Composite Shank Goodyear
Storm Welt Construction MAXWear Wedge™ Oil &
Slip-Resistant Outsole Electrical Hazard Rated Made
In The U.S.A. with U.S.A. & Globally Sourced
Components Color: Brown ASTM F3445-21

Carhartt CMW6275 \$158



Oil-tanned leather; Lace closure Storm Defender® waterproof breathable membrane keeps feet dry, but lets them breathe FastDry® lining wicks sweat and fights odors Cushioned polyurethane insole for support and shock absorbance Steel toe protects against impact and compression hazards and meets ASTM 2413-17 standards Dual-density rubber outsole with Goodyear® welt construction Secondary protection against incidental contact with electrical circuits of 18,000 volts or less under dry conditions; Meets ASTM 2413-17 electrical hazard standards ASTM F3445-21

1032239 \$211




Original Fit has generous space across the forefoot for toes to splay Speed-lace webbing system for comfortably snug fit Foam midsole for lightweight cushioning Removable, resilient foam insole for long-lasting cushioning KEEN.ALL-TERRAIN rubber outsole for higher-traction grip 4mm multi-directional lugs for traction Molded heel-capture system for stability External stability shank delivers lightweight stability KEEN.DRY waterproof, breathable membrane seals out moisture from the inside Environmentally preferred premium leather from LWG-certified tannery for cleaner water ASTM F3445-21

Rocky RKK0521 \$179



6 Inches in height ASTM F2413 electrical hazard standard ASTM F2413 protective toe classification BOA® Fit system Flex Welt Construction Guaranteed Rocky® Recycled Waterproof Construction Oil, Slip, Barnyard Acid, and Chemical-Resisting PU Outsole Rocky® Air-Port Lite® Sponge PU Footbed with Memory Foam Waterproof Full Grain Leather ASTM F3445-21

Timberland A2QSE \$142



Alloy safety toe 6" boot Premium Brown full-grain waterproof leather upper Waterproof membrane Molded toe reinforcement for added abrasion resistance and durability Anti-Fatigue technology polyurethane removable footbed for shock absorption and energy return Compatible with after-market insoles/orthotics OrthoLite foam provides lightweight and moisture wicking comfort Superior indoor/outdoor traction slip resistant outsole Cement construction for flexibility Electrical Hazard (EH) rated Product code: A2QSE-EM8 ASTM F3445-21

1032513 \$151



KEEN.DRY waterproof, breathable membrane seals out moisture from the inside Heat-resistant rubber outsole rated up to 572°F/300°C Non-mutilating upper reduces the chance of marking or scratching surfaces Cement construction for flexible, lightweight performance. Eco Anti-Odor for natural, pesticide-free odor control Environmentally preferred premium leather from LWG-certified tannery for cleaner water ASTM F3445-21

UPower UL10194 \$125



Keg features a pull-up full-grain water resistant leather upper. The 3D mesh lining ensures superior breathability and moisture wicking. The AirToe® aluminum safety toe cap provides maximum protection with a streamlined shape. The footbed in soft polyurethane dynamic compound delivers all-day comfort and support. The direct-attach dual-density PU sole with Infinergy® midsole offers cushioning and energy return and is slip, oil, and abrasion resistant. Electrical Hazard rated. ASTM F3445-21

Keen 1030303 \$163



KEEN.DRY waterproof, breathable membrane seals out moisture from the inside Heat-resistant rubber outsole rated up to 572°F/300°C 100% non-metallic construction for easily passing through metal detectors in highly-secured areas Cement construction for flexible, lightweight performance. KEEN.LOCKFIT firm U-shaped support provides extra heel stability Nylon shank for midfoot support Environmentally preferred premium leather from LWG-certified tannery for cleaner water PFAS-free, durable water repellent repels water just as well as forever chemicals without harming the planet ASTM F3445-21

AdTec 9258 \$98



Lightweight Microfiber Upper:Aqua-Tec Waterproof Membrane Carbon Nano Tube Safety Toe Comfort Max Polyurethane Insole Dual Density Outsole Lightweight EVA Midsole Oil & Slip-Resistant Rubber Outsole Puncture-Resistant Foot Bedding Electrical Hazard Protection ASTM F3445-21

Cahartt FM4200 \$134

Features and benefits:

- Carhartt Chelsea style boots keep your feet dry from rain while letting sweat out
- Nano composite toe meet ASTM 2413-18 standards
- With less weight in the toecap, the boot feels more balanced and comfortable over the long haul

ASTM F3445-21



Georgia GB00731 \$157

Heat, abrasion, and slip-resisting TPU/PU outsole with flex grooves for increased outsole flexibility Georgia waterproof system Fiberglass shank AMP (Advanced Memory Polyurethane) insole ASTM F2413 electrical hazard standard Full-grain leather upper Bond welt construction Carbon safety toe High performance mesh lining ASTM F2413 protective toe classification Twin Gore Panels for Easy On and Off ASTM F3445-21



Twisted X MUNW004 \$172



The Men's 6" Chelsea UltraLite X™ Work Boot combines modern comfort with essential protection. This waterproof Chelsea boot features a nano composite safety toe for lightweight protection along with a convenient pull-on design, all encased in a classic style that easily transitions from the jobsite to afterhours. EH protection safeguards against electrical hazards while the slip-resistant rubber outsole grips dry, wet, and oily surfaces. Inside, the Blend85™ footbed and ecoTWEED™ lining provide sustainable all-day comfort. Perfect for work environments that demand both style and safety. ASTM F3445-21

Timberland A5NEW \$215



This 6 inch Boondock Ultralight Work Boot is designed to combine lightweight performance with a dialed-in fit. Dial in with the dual dial BOA® Fit System, which provides users a micro-adjustable, precision fit in two distinct zones of the boot to independently secure the foot and ankle to further improve fit. The BOA® Fit System is engineered and guaranteed for all-day performance in any environment. For durability, it features Premium Timberland® leather that's abrasion-resistant, waterproof — complete with Microban technology to help prevent unpleasant odors, stains and deterioration. It's built with safety in mind, from the composite safety toe to the TPU outsole for slip-resistant traction, and is made to provide underfoot protection from electrical hazards.

Twisted-X MDANW02 \$224



Innovative dial closure technology meets hardworking performance in this 6" Quick Draw™ Work Boot from the Built in the USA Collection. Built in the USA using select global and domestic materials, the Quick Draw™ lacing system replaces traditional laces with a precision dial that delivers custom tightness for all-day comfort. The leather upper with a 6-inch shaft and suede leather collar features a nano composite toe providing ASTM-certified impact, compression, electrical hazard, and slip resistant protection. Waterproof lining keeps feet dry through the toughest conditions. The storm welt, composite shank, and direct-attach rubber outsole with a 1.5-inch block heel deliver the durability America's workforce demands. ASTM F3445-21

Grisport 706297 \$198



This 6 inch Grisport safety boot features a new 5 layer wave sole. The outsole is oil and slip resistant with an injected PU midsole. The safety toe is composite with a PU injected toe cap for extra protection. The tongue and upper are full leather and waterproof. ASTM F3445-21

Rubber Boots

Dry shod \$166



Steel-Toe Adjustable Gusset Protective Work Boot
Safety matters! Steel-toe protection and all-day comfort! Adjustable gusset style for big calf comfort. Solid rubber, long-wearing outsole for traction and durability ANSI-rated steel toe for safety Meets ASTM F2413-11 M I/75 C/75 EH Meets ASTM-471 for Oil Resistance and ASTM F-1677 for Slip Resistance Rigid triple-layer toe and heel reinforcements Yellow treatments to indicate safety Double achilles heel and instep reinforcement for comfort and protection Removable molded EVA sockliner Features unisex sizing Steel shank for added arch support Customize to fit larger calves for optimum comfort and protection with our expandable gusset and adjustable locking strap. Extra room also accommodates layers of clothing being tucked into the boot ASTM F3445-21

Dunlop 6123155 \$129.00



ASTM - Certified Slip resistant outsole Protective ToeCap Waterproof Cold insulation Oil resistant outsole Chemical Resistant Energy absorbing Antistatic Comfort ASTM F3445-21

Men's Shoes

UPower UL20056 \$108



Kinetic features an ultra-breathable AIRNET and soft suede upper. The 3D mesh lining ensures superior breathability and moisture wicking. The AirToe® aluminum safety toe cap provides maximum protection with a streamlined shape. The footbed in soft polyurethane dynamic compound delivers all-day comfort and support. The direct-attach dual-density PU sole with Infinergy® midsole offers cushioning and energy return and is slip, oil, and abrasion resistant. Static Dissipative SD 35 rated ASTM F3445-21

UPower UL20086 \$114



Flexion features a soft suede upper with textile inserts. The 3D mesh lining ensures superior breathability and moisture wicking. The AirToe® aluminum safety toe cap provides maximum protection with a streamlined shape. The footbed in soft polyurethane dynamic compound delivers all-day comfort and support. The direct-attach dual-density PU sole with Infinergy® midsole offers cushioning and energy return and is slip, oil, and abrasion resistant. Static Dissipative SD 35 rated ASTM F3445-21

Reebok RB5443 \$114



- Toe Type: Composite
- Lining: Microfiber Lining
- 100% Non-Metallic
- Extra Wide Toe
- Dual Resistor (SD10)
- Flex Grooves
- Fuelfoam
- ASTM F2413
- XTR Composite Toe
- Static Dissipative SD10
- Slip Resistant (ASTM F3455)

ASTM F3445-21

10074280 \$114



- Non-metallic composite safety toe, ASTM F2413 I/C rated
- Meets ASTM F2413 standards for electrical hazard resistant footwear
- 100% non-metallic metal detector friendly
- Meets the highest ASTM F2413 safety standards for slip resistance
- 4LR™ technology provides lightweight support and stability
- All Day Cushioning insole helps provide comfort and support that can be easily removed for cleaning or replacement
- Oil- and slip-resisting Duratread™ sole combines durability with flexibility, engineered for long-lasting performance
- ASTM F2413 I/C EH SRO rated
- By purchasing this product, you are supporting the responsible production of leather at Leather Working Group-certified tanneries
- 3" height

Carhartt FG2465 \$95.00



Nano Composite safety toe caps are lightweight, non-metallic/metal detector friendly and non-conductive to heat or cold Nano Composite toe styles meet or exceed ASTM 2413-18 standards Insite footbeds provide high rebound cushion with podiatrist designed arch support Carhartt LWD midsole provides elevated lightweight comfort with the expected Carhartt durability FastDry Technology Lining wicks away sweat for comfort Static dissipative shoes reduce the buildup of static electricity in the workplace Meets the ASTM F2413-18 SD 35 standards ASTM F3445-21

HeyDude 44701 \$86



- ASTM F2413 M/I/C EH Rated
- ASTM F3445 Slip Resistant Rated
- Men's HEYDUDE Composite Toe Metal Free Slip-On Moc Toe Shoe 44701-060
- PU and Canvas Upper with DudeDry Water-Repellant Spray
- Removable DudeSole Foam Arch Support Insole
- DudeFloat Tech Midsole
- DudeGrip Lightweight Slip-Resistant Rubber Outsole
- Reflective Strip
- Elastic Laces
- 100% Non-Metallic
- Electrical Hazard Rated

ASTM F3445-21

Volcom VM30816 \$105



ANSI/ASTM F2413 I75 & C75 Approved ASTM F3445 Slip-Resistant Rated Men's Volcom Chill Camo Composite Toe Casual Slip-On Work Shoe VM30816 Chill Series Canvas Upper Soft Landing Comfort Insole Grip Styk Stone-Themed Oil, Abrasion, Chemical & Slip-Resistant Rubber Outsole Extra Wide Toe Caps 100% Non-Metallic Electrical Hazard Rated Color: Camo ASTM F3445-21

Rocky RKK0514 \$100.00



Non-metallic Light and flexible cement construction ASTM F2413 protective toe classification ASTM F2413 Electrical Hazard Standard 3 Inches in height Non-Marking, Oil & Slip Resisting Dry-Strike Outsole Rocky® Air-Port Lite® Sponge PU Footbed with Memory Foam Waterproof Full Grain Leather with 2mm Neoprene Half Sock ASTM F3445-21

Ariat Mens 10063828 \$101



The easy comfort of your favorite shoe with the protection of a steel toe. Built for indoor environments, Buckeye Safety has a slip-resistant outsole and the long-lasting cushioning you need for working long shifts on hard floors. Removable All Day Cushioning insole FLX Foam midsole has a light, springy feel that cushions each step Oil- and slip-resisting Duratread sole for maximum wear resistance, passes hot contact test at 300°C/572°F Elasticized laces ASTM F2413 I/C EH SR rated 4LR technology provides lightweight support and stability By purchasing this product you are supporting the responsible production of leather at Leather Working Group-certified tanneries ASTM F3445-21

Florsheim FS2780 \$130



ANSI/ASTM F2413 I75 & C75 Approved ASTM F3445 Slip-Resistant Rated Men's Florsheim Composite Toe Metal Free Work Shoe FS2780 Fleet Work Elastic Series Mesh Upper Breathable Lycra Lining for All-Day Sweat & Odor Protection Fully Cushioned, Removable Comfortech Footbed Lightweight and Durable EVA Midsole/Outsole with Oil & Slip-Resistant Rubber Pods for Traction & Durability Built-In FlexSole Technology SupaStep Heel Technology and Elastic No-Tie Laces for Effortless Hands-Free Entry 100% Non-Metallic Static Dissipative (SD35) ASTM F3445-21

Florsheim FS2782 \$130



ANSI/ASTM F2413 I75 & C75 Approved ASTM F3445 Slip-Resistant Rated Men's Florsheim Composite Toe Work Shoe FS2782 Fleet Work Elastic Series Crazyhorse Leather Upper Breathable Stretch Lycra Lining for All-Day Sweat & Odor Protection Fully Cushioned, Removable Comfortech Footbed Lightweight and Durable EVA Midsole/Outsole with Oil & Slip-Resistant Rubber Pods for Traction & Durability Built-In FlexSole Technology SupaStep Heel Technology and Elastic No-Tie Laces for Effortless Hands-Free Entry Static Dissipative (SD35) ASTM F3445-21

Florsheim FS2784 \$130



ANSI/ASTM F2413 I75 & C75 Approved ASTM F3445 Slip-Resistant Rated Men's Florsheim Composite Toe Slip-On Work Shoe FS2784 Fleet Work Elastic Series Smooth Leather Upper Fully Cushioned, Removable Comfortech Footbed Lightweight and Durable EVA Midsole/Outsole with Oil & Slip-Resistant Rubber Pods for Traction & Durability Built-In FlexSole Technology SupaStep Heel Technology for Effortless Hands-Free Entry Static Dissipative (SD35) ASTM F3445-21

Keen 1023268 \$138



KEEN.ReGEN lightweight, compression-resisting midsole providing up to 50% energy return with every step Oil- and slip-resistant non-marking rubber outsole Electrical hazard (EH) or Electric Shock Resistant (ESR) footwear helps provide a secondary source of protection in case of accidental outsole contact with live electrical circuits Water resistant leather provides a barrier against liquid absorption and helps preserve the quality of the leather over time Removable metatarsal insole for comfort and support ASTM F3445-21

Reebok RB5122 \$121.00



ANSI/ASTM F2413 I75 & C75 Approved ASTM F3445 Slip-Resistant Rated Men's Reebok Composite Toe Metal Free Slip-On Work Shoes RB5122 Flex Trainer Elevated Ease Hands-Free Series Mesh & TPU Upper Moisture-Wicking Nylon Mesh Lining MemoryTech Massage 2.0 Memory Foam Removable Footbed Duraflex Foam Midsole Slip-Resistant Rubber Outsole Featuring Flex Grooves Stability Cradle Keeps You Locked-In and Focused During Your Workday XTR® Composite Toe Extra Wide Toe Caps 100% Metal Free Static Dissipative (SD10) Color: Gray/Black ASTM F3445-21

DC DC60701 \$134.00



ANSI/ASTM F2413 I75 & C75 Approved ASTM F3445 Slip-Resistant Rated Men's DC Composite Toe BOA® Fit System Work Shoes DC60701 Navigator Work Series Action Leather and Mesh Upper Moisture-Wicking Nylon Mesh Lining PU Molded Insole Comfort Cruise Removable Footbed Molded EVA Outsole with Slip-Resistant Rubber Bottom BOA® Lacing System Delivers a Micro-Adjustable, Precision Fit Rubber Toe Bumper and Molded Heel Counter for Durability and Longevity Gusseted Tongue Construction for Added Warmth and Weather Resistance XTR® Composite Toe Extra Wide Toe Caps Electrical Hazard Rated Color: Black/Dark Gray ASTM F3445-21

Twisted X MCAUN01 \$120.00



ASTM F2413 electrical hazard standard ASTM F3445 slip-resisting Moc toe Full-grain leather upper Rubber outsole with molded EVA midsole 4 Inches in height Mesh lining ecoTweed lining blend of bamboo charcoal promotes foot health Nano composite toe cap ASTM F2413 protective toe classification Flat outsole; no heel UltraLite X EVA compound reduces weight BLEND85 recycled material in footbed Removable cushioned footbed ASTM F3445-21

Reebok RB3031 \$138



- Slip Resistant (SR) - Soles designed to provide a high coefficient of friction with the walking surface to improve slip resistance.
- XTR™ Extra wide composite toe protects your feet at work while allowing extra toe room for comfort and movement.
- Iconic Zig Rubber Outsole in a shape that is made to cut down on weight and stiffness and provide pillowy cushioning that offers a seamless stride.
- Targeted foam panels at the tongue and collar offer additional support and comfort.
- Dual Resistor patented technology meets SD10 Static Dissipative standards.

ASTM F3445-21

A5Z2B \$112



ANSI/ASTM I75& C75 Approved Men's Timberland Composite Toe Metal Free Work Shoe A5Z2B Powertrain EV Series Durable, Breathable Ripstop Nylon and Raptex Upper Moisture-Wicking Lining with Antimicrobial Treatment for Odor Control Lightweight, Anti-Fatigue Technology EVA Midsole Cement Construction Heat, Oil, Abrasion & Slip-Resistant Non-Marking Rubber Outsole Asymmetrical Composite Safety Toe 100% Non-Metallic Electrical Hazard Rated Color: Grey/Black/Orange ASTM F3445-21

HeyDude 46356-0C4 \$86



Built for long shifts and tough jobs, the Wally Work CT Stretch Sox in black delivers all-day comfort with work-ready protection. A breathable mesh upper with water-repellent treatment helps keep you comfortable on the move, while the lightweight composite safety toe meets ASTM F2413 standards without adding bulk. Featuring a slip-resistant outsole, easy-on system, reflective details, and HEYCOMF EX cushioning with anatomical arch support, it's designed to keep up from clock-in to clock-out. ASTM F3445-21

HeyDude 46356-2NX \$86



The same HeyDude you love just built for long shifts and tough jobs. In another color the Wally Work CT Stretch Sox delivers all-day comfort with work-ready protection. A breathable mesh upper with water-repellent treatment helps keep you comfortable on the move, while the lightweight composite safety toe meets ASTM F2413 standards without adding bulk. Featuring a slip-resistant outsole, easy-on system, reflective details, and HEYCOMF EX cushioning with anatomical arch support, it's designed to keep up from clock-in to clock-out. ASTM F3445-21

Women's Footwear

AdTec 8262 \$84.00



Lightweight Microfiber Upper Aqua-Tec Waterproof Membrane Carbon Nano Tube Safety Toe Comfort Dual Density Outsole Max Polyurethane Insole Lightweight EVA Midsole Oil & Slip-Resistant Rubber Outsole Puncture-Resistant Foot Bedding Electrical Hazard Protection ASTM F3445-21

Reebok RB303 \$130



Women's Athletic Work Shoe XTR™ Extra wide composite toe reduces weight while maintaining impact protection (meets or exceeds ASTM F2413) Electrical Hazard Protection Metal Free Slip Resistant (SR) - Soles designed to provide a high coefficient of friction with the walking surface to improve slip resistance. Iconic Zig Rubber Outsole in a shape that is made to cut down on weight and stiffness and provide pillowy cushioning that offers a seamless stride. Engineered mesh uppers with reflective overlays and dip dye treatments on midsole will turn heads at work. Targeted foam panels at the tongue and collar offer additional support and comfort. Experience easy work with high flexibility in the midfoot, spaciousness in the forefoot, and high cushioning underfoot ASTM F3445-21

Reebok RB133 \$131.00



ANSI/ASTM F2413 I75 & C75 Approved Women's Reebok Composite Toe Metal Free Work Shoe RB133 FloatZig 2 Work Series Mesh and TPU Upper Moisture-Wicking Nylon Mesh Lining EVA Cushion Removable Footbed SuperFloat+ Critical Foam Zig Midsole Energy-Branded Slip-Resistant Outsole Molded Internal Heel Counter Enhances Energy Return and Spring In Your Step XTR® Extra Wide Toe Caps 100% Non-Metallic Static Dissipative (SD10) Dual Resistor Color: Dark Gray/Teal ASTM F3445-21

Reebok RB630 \$111.00



ANSI/ASTM F2413 I75 & C75 Approved ASTM F3445 Slip-Resistant Rated Women's Reebok Composite Toe Metal Free Work Shoe RB630 Fuel Flex Work Series Mesh and TPU Upper Moisture-Wicking Nylon Mesh Lining Insite Lux Sock Liner MemoryTech Memory Foam Removable Footbed Brand New Geometric FuelFlex Injection EVA Midsole Creates All Day Comfort FuelFlex Slip-Resistant Rubber Outsole Targeted Foam Panels at the Tongue and Collar Provide Additional Comfort and Support XTR® Extra Wide Toe Caps 100% Non-Metallic Electrical Hazard Rated Color: Black ASTM F3445-21

1276 Terra \$126



Breathable performance mesh upper with reinforced toe• Moisture wicking soft-touch lining• EXOLOCK™ support lacing technology• Shock absorbing EVA midsole• Slip & oil resistant rubber outsole• Integrated TPU arch support plate • EnduraStride™ comfort PU FOOTBED® insole• CSA Grade 1 composite safety toe, composite plate, SD+/SD35• TERRA FIRMA-FLEX® - 100% Metal Free ASTM F3445-21

New Balance \$129



Elite Lite EH offers the perfect blend of comfort and style. It has been designed with the latest look in mind but engineered for safety. Elite Lite EH provides all-day protection thanks to its composite toe, debris free construction and EH (electrical hazard) protection. The New Balance ACTEVA performance midsole technology also provides the ideal mix of support, cushioning and flexibility. With its modern and light, flexible leather upper providing a good balance between durability and breathability, Elite Lite EH is suitable for an array of conditions across the light industrial space. ASTM F3445-21

HeyDude 44289 \$86



- ASTM F2413 M/I/C EH Rated
- ASTM F3445 Slip Resistant Rated
- PU and Canvas Upper with DudeDry Water-Repellant Spray
- Removable DudeSole Foam Arch Support Insole
- DudeFloat Tech Midsole
- DudeGrip Lightweight Slip-Resistant Rubber Outsole
- Reflective Strip
- 100% Non-Metallic
- Electrical Hazard Rated

ASTM F3445-21

Ariat Wmens 10064035 \$101



The easy comfort of your favorite shoe with the protection of a steel toe. Built for indoor environments, Buckeye Safety has a slip-resistant outsole and the long-lasting cushioning you need for working long shifts on hard floors. Removable All Day Cushioning insole FLX Foam midsole has a light, springy feel that cushions each step Oil- and slip-resisting Duratread sole for maximum wear resistance, passes hot contact test at 300°C/572°F Elasticized laces ASTM F2413 I/C EH SR rated 4LR technology provides lightweight support and stability By purchasing this product you are supporting the responsible production of leather at Leather Working Group-certified tanneries ASTM F3445-21

Twisted X WCAUS01 \$112.00



Leather upper UltraLite X™ utilizes a unique EVA compound to create footwear that is on average 20% lighter Steel toe (ASTM F2413-24 I/C EH SRO) Nylon laces Mesh lining Molded EVA footbed with ecoTWEED™ Lining. ecoTWEED™ material is made from recycled plastic bottles. Compression-molded EVA midsole Oil and slip resistant rubber outsole (ASTM F3445-24 SRO) ASTM F3445-21

Twx WCAUS03 \$112



The Women's 4" UltraLite X™ Work Boot delivers lightweight comfort and heavy duty protection. This lace-up work boot features a steel safety toe and EH protection against electrical hazards. Moreover, the oil and slip-resistant rubber outsole provides traction to keep you steady on your feet when you need it most. Inside, the ecoTWEED™ lining crafted from recycled plastic bottles delivers sustainable comfort throughout your shift. Twisted X® Work footwear provides all the protection, comfort, and durability women need to outperform demanding work environments. ASTM F3445-21

Carhartt fn6294 \$134



Steel Toe Meets or exceeds ASTM 2413-18 standards. Water resistant leather upper with stretch gore Rain Defender® repels water to keep your feet dry in light rain. Insite®: footbeds provide high rebound cushion with podiatrist designed arch support. Lightweight EVA midsole combines flexibility with maximum comfort and rebound. Durable rubber outsole with dirt releasing lugs and a 90 degree heel. FastDry™ Technology Lining wicks away sweat for comfort. Imported ASTM F3445-21

Carhartt FM6444 \$146.00



Durable leather upper Collar with memory foam for superior comfort Storm Defender™ waterproof breathable protection FastDry™ technology lining wicks away sweat Carhartt LWD (lightweight durable) midsole with Insite® footbed Nylon shank Cement constructed with Carhartt rubber Millbrook outsole Outsole heat rating testing up to 300 °C/572 °F Slip resistant outsole Nano safety toe rated ASTM F2413-24 EH SR Imported ASTM F3445-21

Keen 1029696 \$163



Waterproof and stain-resistant leather upper certified by LWG Metal hardware KEEN.DRY waterproof, breathable membrane seals out moisture from the inside Removable metatomical insole Mesh liner provides breathability to help keep feet cool in warm environments Keen Luftcell midsole infused with millions of microscopic bubbles for all-day comfort Nylon Shank Cement construction for flexible, lightweight performance Oil- and slip-resistant non-marking rubber outsole Heat-resistant rubber outsole rated up to 572°F/300°C Outsole channels direct water away from better grip in wet conditions Aluminum safety toe weighs 35% less than steel and offers a sleeker toe profile Electrical hazard protection ASTM F3445-21

Steel blue 812861 \$206



Features and benefits:

- Jungle Boot is a 6 inch high Ankle Boot with a convenient industrial grade Side Zip so you can tie your laces for the perfect fit and use the zipper for speedy on and off.
- Made from premium Sand colored Leather that is ethically and environmentally sourced.
- The low-cut scalloped collar and padded tongue assist ease of movement and feature on-trend animal print.

ASTM F3445-21

Ariat 10063856 \$183



Premium full-grain leather for durability All Day Cushioning insole for maximum comfort Puncture resistant, metal-free SWEN-FLEX® insole board Lightweight, shock-absorbing FLX Foam™ midsole ASTM F2413-18 F/I/C PR EH rated safety toe Certified to CSA® Standard Z195-14 for toe protection ASTM F3445-21

Ariat 10050827 \$174



Height: 10" Horseman heel 1.5" heel height Square toe 4LR technology provides lightweight support and stability DRYShield waterproof breathable construction U-Turn Entry System lets people with high arches easily slip on their boots VentTEK mesh panels keep you cool Removable All Day Cushioning insole Lightweight EVA midsole absorbs shock Oil- and slip-resisting Duratread sole for maximum wear resistance, passes hot contact test at 300°C/572°F 90° heel ASTM F2413 F/I/C EH rated Non-metallic toe, meets ASTM standards for safety toe footwear Metal detector friendly ASTM F3445-21

Durango DRD0416 \$152



This is the women's 10" Western Waterproof Steel Toe Rugged Tan Durango® Maverick™. This style is full-grain leather with a faux shaft, has a soft mesh lining, waterproof membrane bootie construction and the Durango® X-Pand System™ which is a hidden gore expansion for universal fit and easy on/off. It also includes the Durango® X-Treme Comfort Footbed™ with memory foam for all day comfort and support. This style also features a fiberglass shank which provides lightweight stability and the rolled shank area allows easy placement in the stirrup. The style is finished off with a slip and oil-resistant rubber outsole, single row sole stitch, 1 1/8" rocker heel and square toe. Pull on all-day work comfort in this women's 10" Western Waterproof Steel Toe Rugged Tan Durango® Maverick™. Get a pair today! ASTM F3445-21

Carhartt FQ1425 \$196



Oil tanned leather upper Storm Defender™ waterproof, breathable protection FastDry™ lining wicks away sweat and moisture Lightweight EVA midsole combines flexibility with maximum comfort and rebound Insite® footbeds – high rebound cushion with podiatrist designed arch support Fiberglass shank Non-mutilating and non-metallic Durable oil- and slip-resistant non-marking rubber lug outsole 90° heel with ladder lock grooves Heat-resistant outsole rated up to 300°C/572°F Nano Composite safety toe – lightweight, non-metallic, non-conductive Electrical Hazard (EH) footwear provides secondary protection against accidental contact with live circuits in dry conditions Meets ASTM F2413-24 EH standards Meets ASTM F3445-24 SR standards ASTM F3445-21