



Safety Footwear Catalog

Ariat, Carhartt, Carolina, Cat, Chippewa,
Danner, Double H, Durango, Frye Supply,
Georgia, Iron Age, Justin, Keen, Kodiak,
Merrell Safety, Muck, Reebok, Rockport,
Rocky, Terra, Thorogood, Timberland, Tony
Lama, Tingley, Twisted X, Volcom, Wolverine

Men's Pull On Safety Boots



Features and Benefits:

- Carbon safety toe.
- Meets ASTM F24 C/75 I/75 standards.
- Electrical Hazard rated.
- Goodyear welt construction.
- Oil and slip resistant rubber outsole.
- Waterproof liner to keep your feet dry.
- 90° heel.
- EVA midsole for lightweight shock absorption and cushioning
- Patented U-Turn entry system for easy entry and a close fit.

\$217 Ariat 10024968



Features and benefits:

- Steel Toe that meets ASTM F24 C/75 I/75 Standards
- 4LR™ lightweight stabilizing shank for support
- Waterproof PRO full-grain leather
- Extra comfort insole with higher rebound
- Durable oil- and slip-resistant Duratread™ sole
- 90° heel
- Four-row stitch pattern

\$180 Ariat 10024992

Features and Benefits:



- Light carbon-fiber safety toe.
- Meets ASTM F24 standards.
- Electrical Hazard rated.
- Ventex mesh panels enable air flow to keep you cool and comfortable.
- Cushioning mid sole for shock absorption.
- Goodyear welt construction.
- Oil and slip resistant rubber outsole.
- Waterproof liner to keep your feet dry.
- 90° heel.

\$230 Ariat 10035881

Features and Benefits:



- Light carbon safety toe.
- Waterproof liner to keep your feet dry.
- Meets ASTM F24 standards.
- Electrical Hazard rated.
- Cushioning mid sole for shock absorption.
- Goodyear welt construction.
- Oil and slip resistant cushioning outsole for shock absorption.
- Patented U-Turn Entry system allows easier entry for those with high arches.
- 90° heel.

\$211 Ariat 10036002



Waterproof Boa lacing system Mesh lining Full-grain leather upper ASTM F2413 protective toe classification ASTM F2413 electrical hazard standard Carbon fiber protective toe cap Reinforced heel and toe areas 90-degree defined heel 11 Inches in height Weight: 4.2 pounds per pair for a size 10 Goodyear® welt construction Oil-and slip-resistant Duratread™ heavy-duty rubber outsole

\$252 Ariat 10038924



Features and Benefits:

- Composite safety toe.
- Meets ASTM F24 C/75 I/75 standards.
- Electrical Hazard rated.
- Cushioning mid sole for shock absorption.
- Goodyear welt construction.
- Ariat's U-Turn Entry System for easy entry regardless foot shape.
- All-conditions Workhog with Western flair.
- Waterproof liner keep your feet dry in the snow.
- Ariat's highly abrasion-resistant oil- and slip-resisting outsole.

\$206 Ariat 10001200



Leather vamp with 12" leatherTWX™ shaft. leatherTWX™ material utilizes 80% recycled leather that would otherwise end up in landfills. CellStretch® technology utilizes cells in the forefoot and heel to provide superior cushioning and comfort Nano toe (ASTM F2413-18 M/I/C EH) Waterproof lining Leather pull tabs Blend85™ footbed. Blend85™ footbeds are made with 85% recycled foam. Footbeds also feature ecoTWEED™ Lining. ecoTWEED™ material is made from recycled plastic bottles. Double-stitched storm welt and nylon/glass fiber shank Compression-molded EVA midsole integrated with molasses. Molasses is a natural filler that reduces the amount of EVA used. EH-rated oil and slip resistant rubber outsole with 1.75" tall block heel

\$211 Twisted X MXBNW05

Features and benefits



- ASTM F2413-18 M I/75 C/75 rated steel toe
- Premium waterproof full-grain leather
- Moisture wicking mesh lining to keep feet cool
- Full cushioned footbed for comfort closer to the foot
- Dual density rubber and compression molded outsole
- Lightweight cement construction
- Steel Shank provides additional protection

\$129 Wolverine W10765



ATS® Max technology disperses pressure to keep you as comfortable at the end of your day as you were when you started DRYShield™ waterproof construction keeps you dry in wet environments U-Turn® Entry System lets people with high arches easily slip on their boots Removable Energy Max™ anti-fatigue insole for maximum comfort Cushioning PU midsole for shock absorption Durable oil- and slip-resistant Duratread™ sole 90° heel Goodyear welt construction Seven-row stitch pattern Protective ExGuard™ on heel ASTM F2413 M/I/C EH rated

\$211 Ariat 10035911



Waterproof full-grain leather Durable rubber outsole SRX for extreme slip resistance Cement construction 100% post industrial recycled lining Cushioned foam footbed Durable and lightweight EVA midsole 100% post industrial recycled sock lining with CLEANSPOORT NXT pro-biotic odor control Slip resistant Electrical hazard Composite toe Imported

\$151 Cat p91755



Waterproof membrane Square toe Rolled shank area
Fiberglass shank Rocker heel 1 1/2" Soft mesh lining
Full-grain leather with faux exotic elephant embossed
vamp, fox, collar and pull straps with faux shaft Double
row sole stitch Dual-Density Midsole with firmer shock
absorbing heel for added stability and a soft shock
absorbing forepart for ultimate flexibility and comfort
Anti-torsion rigid external shank provides added lateral
stability High abrasion heel counter Multi-Durometer
Rubber Outsole with high abrasion rubber outer lugs for
high-impact durability and softer durometer mid lugs for
added flexibility and increased slip, oil and heat
resistance

\$163 Durango DDB0176



Square toe ASTM F2413 protective toe classification
ASTM F2413 electrical hazard standard Dual-density
EVA midsole Rolled shank area 1 1/2" Rocker heel
Fiberglass shank Soft mesh lining Single row sole stitch
Anti-torsion rigid external shank provides added lateral
stability Multi-Durometer Rubber Outsole with high
abrasion rubber outer lugs for high-impact durability
and softer durometer mid lugs for added flexibility and
increased slip, oil and heat resistance Full-grain leather
with leather underlay

\$201 Durango DDB0366



Georgia waterproof system Full-grain leather upper ASTM F2413 protective toe classification ASTM F2413 electrical hazard standard AMP (Advanced Memory Polyurethane) insole Fiberglass shank Alloy safety toe for lightweight protection 11 Inches in height Ergo-Fit safety toe designed to match contours of feet, providing superior comfort and flexibility Cement construction Heat, chemical, abrasion, and slip-resisting dual-density EVA and Carbo-Tec rubber outsole Abrasion-resistant DuraBlend midsole

\$196 Georgia GB00672



Crazy Horse Tan Leather Upper Composite Safety Toe Waterproof SCUBALINER™ Mesh Lining Removable Double Tuff Polyurethane Footbed Electrical Hazard Rated Welt Construction EVA Midsole Non-Metallic Shank Oil & Slip Resisting Rubber Outsole

\$170 Carolina CA8541



Height: 11" Brown Barnyard Acid Resistant Leather Upper Composite Safety Toe Molded Heavy Duty Pullholes Mesh Lining with Waterproof Membrane Electrical Hazard Rated 100% Non-Metallic AG8 Dual-Density PU Removable Footbed All-Around Goodyear Welt Construction Rubber Heel Rand EVA Midsole Oil & Slip Resisting I.C.E.™ Equipped Outsole 1" Heel Height

\$182.00 Double H PH5010



Square toe Guaranteed Rocky® Waterproof construction ASTM F2413 protective toe classification ASTM F2413 electrical hazard standard Expansion Fit Seam for easy on and off Fiberglass shank 12 inches in height Waterproof Full Grain Leather Rocky® Air-Port Lite® Sponge PU Footbed with Memory Foam Double Stitch Flex Welt Construction Proprietary Lightweight Oil & Slip Resisting Rocky® MonoCrepe Outsole

\$157 Rocky RKW0431



11" Shaft; Full-Grain Leather Upper With Abrasion-Resistant Rubber Heel Counter; Brown Foot; Orange Upper With Western Stitch Design; Leather Pull Tabs For Easy On; Soft Mesh Lining; Cushion Flex Insole; Goodyear Welt Construction; Fiberglass Shank; EVA Midsole; Double Row Welt Stitch; Rolled Shank Area; Oil, Slip, And Abrasion-Resistant Outsole; ASTM F2413 Protective Toe Classification; ASTM F2413 Electrical Hazard Standard; 1 1/2" Rocker Heel; Square Toe; Style #DDB0497

\$176.00 Durango DDB0497

Men's 8" Lace up Boots



Features and benefits:

- Steel toe that meets ASTM F24 C/75 I/75 standards
- Full-grain leather
- Waterproof™
- Removable Ultimate Shock Absorption™ footbed
- Fiberglass shank
- MAXWear Wedge slip resistant outsole
- Goodyear storm welt construction
- Made in USA with USA and globally sourced components

\$266 Thorogood 804-3800



Features and Benefits:

- American made.
- Light alloy safety toe.
- Meets ASTM F24 C/75 I/75 standards.
- Electrical Hazard rated.
- Stitch-down construction.
- Oil and slip resistant Vibram rubber outsole. With a 90° heel.
- It features a Gore-Tex waterproof liner that allows moisture to get out.
- Hyper-strong thread is used to triple stitch our toughest boots.
- Non-linear lug pattern for superior traction and debris release.

\$237 Danner 17307



Designed with a waterproof, water buffalo leather and built with a composite toe, this 8" High Range work boot is perfect for the work site. It features our Cushion Comfort® insole and our Dri-Lex® cover for all-day comfort. The rubber outsole will keep you firm on your feet no matter what the conditions are around you.

\$182 Tony Lama TW3430

Features and benefits:



- Jungle Boot is a 6 inch high Ankle Boot with a convenient industrial grade Side Zip so you can tie your laces for the perfect fit and use the zipper for speedy on and off.
- Made from premium Sand colored Leather that is ethically and environmentally sourced.
- The low-cut scalloped collar and padded tongue assist ease of movement and feature on-trend animal print.

\$189 Steel blue 812861



Premium Timberland® full-grain leather upper with an internal waterproof membrane We are a member of the Leather Working Group Asymmetrical composite safety toe Electrical Hazard Protection Fiberglass shank for structural support Anti-Fatigue Technology polyurethane footbed for shock absorption and energy return Lightweight Hover Spring™ foam midsole provides industry-leading underfoot comfort, flexibility, and durability Breathable and moisture-wicking lining with antimicrobial treatment for odor control Top speed hooks for instant lacing Cement construction for flexibility Heat-, oil-, slip-, and abrasion-resistant, non-marking Timberland PRO® rubber convex outsole for superior indoor/outdoor traction Mark II oily wet #3 on American Olean tile at .43

164 Timberland A5U4Y



Features and Benefits:

- Light composite safety toe that meets ASTM F24 C/75 I/75 standards.
- Electrical Hazard rated.
- Goodyear welt construction.
- Oil and slip resistant rubber lug outsole. 90° heel.
- Waterproof liner to keep your feet dry.
- Cigar Leather Upper and features a Composite Safety Toe Cap.
- Triple-Rib Steel Shank for extra support.

\$181 Carolina CA8528



Composite Safety Toe Waterproof Membrane Blood-borne Pathogen Resistant Electric Hazard Protection 600g Insulation Anti-Fatigue Technology - PRO 30-Day Comfort Guarantee ReBOTL™ Material All-Weather TPU Outsole Microban Odor Resistant Footwear Liner OrthoLite® Insoles

\$219.00 Timberland 89628

Men's 4"-6" Lace Up Boots



ATS® technology provides ergonomic support on uneven terrain DRYShield™ waterproof breathable construction BOA® Fit System delivers dialed in performance and micro-adjustable precision fit Removable Energy Max™ anti-fatigue insole for maximum comfort FLX Foam™ midsole has a light springy feel that cushions each step Oil- and slip-resistant Duratread™ sole provides maximum wear resistance Outdoor traction lugs with debris-releasing tread Goodyear welt construction Protective ExGuards™ on toe and heel ASTM F2413 M/I/C EH rated Ariat is including you in its dedication to environmental stewardship. By purchasing this product, you are supporting the responsible production of leather at Leather Working Group-certified tanneries.

\$224 Ariat 10048060



Left and right asymmetrical, non-metallic carbon-fiber toes offer unobtrusive fit and are 15% lighter than steel KEEN.DRY waterproof, breathable membrane Nylon shank for midfoot support 90° heel provides stability and helps catch or lock the foot in place Electrical hazard (EH) or Electric Shock Resistant (ESR) footwear provides a secondary source of protection in case accidentally coming into contact with live electrical circuits Environmentally preferred premium leather from LWG-Certified Tannery PFC-Free, durable water repellent MATERIALS Full-grain barnyard resistant waterproof leather helps resist the damaging effects of oleic acid, urea, sodium chloride, and ammonium hydroxide Locking metal lace hooks Mesh liner provides breathability to help keep feet cool in warm environments Removable, dual-density PolyAer PU footbed with aerated pillow-top cushioning KEEN Luftcell: Air-infused, PU midsole for weightless comfort Oil- and slip-resistant non-marking rubber outsole

\$177 Keen 1027663



ATS® technology provides ergonomic support on uneven terrain DRYShield™ waterproof construction keeps you dry in wet environments Removable Pro Performance insole for cushioning and shock absorption Oil- and slip-resisting, direct attach PU sole for durability Goodyear welt construction ASTM F2413 M/I/C PR EH rated Ariat is including you in its dedication to environmental stewardship. By purchasing this product, you are supporting the responsible production of leather at Leather Working Group-certified tanneries.

\$170 Ariat 10045418

Features and benefits:

- Asymmetrical composite safety toe
- Premium full-grain waterproof leather with a waterproof membrane
- Electrical Hazard Protection
- Slip resistance outsole
- Fiberglass shank for structural support Anti-Fatigue
- Top speed hooks for instant lacing
- Cement construction for flexibility

\$151 Timberland A42FY





Features and benefits :

- 90° heel (5/8" Height) provides stability and helps "catch or lock" the foot in place
- Nylon shank for midfoot support
- Direct attach PU construction
- Locking metal lace hooks
- Full-grain waterproof leather upper
- Oil- and slip-resistant outsole
- Safety Carbon-Fiber Toe Meets ASTM F2913-19 SATRA Non-Slip Testing Standards Meets ASTM F2412-18 and F2413-18 M I/75 C/75 EH standards
- Outsole and midsole meets ASTM D471-06 903# oil and isooctane chemical resistance standards
- Duty Type: Medium Duty Weight: 25.3 oz / 717.2 g

\$143 Keen 1026487



Light and flexible cement construction Boa lacing system ASTM F2413 protective toe classification ASTM F2413 electrical hazard standard Fiberglass shank 6 Inches in height Rocky Rebound Comfort technology for energy return Composite toe Flexible Direct Attached PU Midsole EnergyBed LX Footbed with Memory Foam Waterproof Full Grain Leather Oil & Slip Resisting Rubber Outsole 1 Year Vapor Pass Breathable Recycled Membrane Waterproofing

\$203 Rocky RKK0390

Features and benefits:

- Carhartt Chelsea style boots keep your feet dry from rain while letting sweat out
- Nano composite toe meet ASTM 2413-18 standards
- With less weight in the toecap, the boot feels more balanced and comfortable over the long haul

\$134 Carhartt FM4200



Waterproof full-grain leather Durable rubber outsole SRX for extreme slip resistance Cement construction 100% post industrial recycled lining Cushioned foam footbed Durable and lightweight EVA midsole 100% post industrial recycled sock lining with CLEANSPOORT NXT pro-biotic odor control Electrical hazard Slip resistant Composite toe Imported

\$134 Cat P91723





Leather upper Steel Toe styles meet or exceed ASTM 2413-18 standards Insite® Footbeds are designed to provide arch support and high rebound cushion for all-day comfort Carhartt LWD midsole provides elevated lightweight comfort with the expected Carhartt durability Durable slip-resistant rubber outsole for traction and flexibility with every step FastDry™ Technology Lining wicks away sweat for comfort Electrical Hazard footwear provides protection against live electrical currents and meets ASTM F2413-18 EH standards Country of Origin: Imported

\$145 Carhartt FM5210



Features and benefits:

- Full-grain leather upper
- Steel safety toe meets or exceeds ANSI standards ASTM F2413-18 M/I/C EH.
- Removable, moisture-wicking, antibacterial and machine washable molded footbed.
- Non-waterproof shoes
- Oil/Slip-resistant molded rubber outsole provides durability and improved traction.
- Men's Chukka Driving Moc

\$125 Twisted X MDMST01



Georgia waterproof system Full-grain leather upper ASTM F2413 protective toe classification ASTM F2413 Electrical Hazard Standard AMP (Advanced Memory Polyurethane) insole Fiberglass shank Alloy safety toe for lightweight protection 6 Inches in height Ergo-Fit safety toe designed to match contours of feet, providing superior comfort and flexibility Cement construction Heat, chemical, abrasion, and slip-resisting dual-density EVA and Carbo-Tec rubber outsole Abrasion-resistant DuraBlend midsole

\$155 Rocky Georgia GB00679



ATS® technology provides ergonomic support on uneven terrain DRYShield™ waterproof breathable construction Removable All Day Cushioning insole FLX Foam™ midsole has a light springy feel that cushions each step Lightweight sole made with SMARTLITE™ material from Huntsman 90° heel Moc toe ASTM F2413 M/I/C EH rated Ariat is including you in its dedication to environmental stewardship. By purchasing this product, you are supporting the responsible production of leather at Leather Working Group-certified tanneries.

\$163 Ariat 10046876



ght and flexible cement construction ASTM F2413
protective toe classification ASTM F2413 electrical
hazard standard Fiberglass shank 6 Inches in height
Rocky Rebound EVA Midsole for Shock Absorption
Waterproof Full Grain Leather Rocky® Air-Port Lite®
Sponge PU Footbed with Memory Foam Guaranteed
Rocky® Recycled Waterproof Construction Focused
Surface Contact, Oil & Slip Resisting Rubber Outsole
\$165 Rocky RKK0467



Environmentally preferred premium leather from LWG-
certified tannery • Removable metatological insole • 6in
shaft height • Aluminum toe • Oil- and slip-resistant
non-marking rubber outsole • 1.25in Heel Height •
Siped outsole • Nylon shank • KEEN Luftcell midsole •
Cement construction • Mesh liner
\$156 Keen 1029693



KEEN.DRY waterproof membrane Carbon-Fiber Safety Toe Heat-resistant KEEN.ToughSole outsole rated up to 250°F/121°C Assembled in the USA using the finest materials from around the world. KEEN.FUSION construction fuses the upper to the sole for a longer-lasting bond without glues or solvents. Nylon shank for midfoot support Environmentally preferred premium leather from LWG-certified tannery for cleaner water Direct attach PU midsole for long-lasting comfort KEEN.TOUGHSOLE oil- and slip-resistant outsole that is lighter weight and more durable than rubber Electrical hazard Full-grain Barnyard Resistant leather helps resist the damaging effects of jobsite chemicals like oleic acid, urea, sodium chloride, and ammonium hydroxide Removable metatomical insole for comfort and support

\$254.00 Keen 1030604



KEEN.DRY waterproof, breathable membrane seals out moisture from the inside Heat-resistant rubber outsole rated up to 572°F/300°C Contoured heel guard helps protect against bumps, scrapes, wear, and tear Nylon shank for midfoot support Environmentally preferred premium leather from LWG-certified tannery for cleaner water PFAS-free, durable water repellent repels water just as well as forever chemicals without harming the planet

\$134 Keen 1029149

Full-grain leather Composite safety toe Composite shank EVA rubber outsole Waterproof Removable single-density polyurethane footbed Goodyear welt construction Non-metallic

\$139 Thorogood 804-4143



ANSI/ASTM I75& C75 Approved Men's Timberland 6" Composite Toe WP BOA® Fit System Work Boot A66KY Boondock PR BOA® Series Premium Full-Grain Waterproof Leather Upper Waterproof Membrane Anti-Fatigue Technology Polyurethane Footbed for Shock Absorption and Energy Return Combination Three-Quarter Goodyear Welt/Cement Heel Construction Fiberglass Shank Cushioning Durable PU Midsole Oil, Heat, Abrasion and Slip-Resistant Non-Marking All Weather TPU Outsole Outsole Heat-Resistant Up to 248°F Using EN/ISO 20344.2004 (120°C) Non-Metallic Puncture Resistant Plate Molded Timberland PRO® Rubber Toe Rigid External Heel Cup for Lateral Stability Dial in to Fast, Effortless, Precision Fit with the BOA® Fit System Asymmetrical Composite Safety Toe Electrical Hazard Rated Color: Brown (Mocha)

\$206.00 A66KY





KEEN.DRY waterproof, breathable membrane seals out moisture from the inside Heat-resistant rubber outsole rated up to 572°F/300°C 100% non-metallic construction for easily passing through metal detectors in highly-secured areas Cement construction for flexible, lightweight performance. KEEN.LOCKFIT firm U-shaped support provides extra heel stability Nylon shank for midfoot support Environmentally preferred premium leather from LWG-certified tannery for cleaner water PFAS-free, durable water repellent repels water just as well as forever chemicals without harming the planet

\$159.00 Keen 1030303



BOA® Fit System ASTM F2413 protective toe classification ASTM F2413 electrical hazard standard 6 Inches in height Waterproof Full Grain Leather Rocky® Air-Port Lite® Sponge PU Footbed with Memory Foam Guaranteed Rocky® Recycled Waterproof Construction Flex Welt Construction Oil, Slip, Barnyard Acid, and Chemical-Resisting PU Outsole

\$170.00 Rocky RKK0493



Non-metallic carbon safety toe, ASTM F2413 M/I/C rated Meets ASTM F2413 standards for electrical hazard resistant footwear 100% non-metallic, metal detector friendly Meets ASTM F3445 safety standards for slip resistance ATS® technology provides ergonomic support on uneven terrain DRYShield™ waterproof breathable construction Removable Energy Max™ anti-fatigue insole for maximum comfort Cushioning midsole for shock absorption Oil- and slip-resisting Duratread™ sole for maximum wear resistance, passes hot contact test at 300°C/572°F 90° heel Direct-attach construction for lightweight flexibility Reinforced ExGuards™ reduce wear on toe and heel Lightly padded collar and tongue top ASTM F2413 M/I/C EH rated 6" shaft height 1.5" heel height

\$160 Ariat 10054291



ANSI/ASTM F2413 I75 & C75 Approved ASTM F3445 Slip-Resistant Rated American Heritage Series Men's Thorogood 6" Steel Toe Wedge Sole Moc Toe Boot (U.S.A.) 804-4135 Full-Grain Leather Upper Removable Ultimate Shock Absorption Footbed Poron® Comfort Cushion Insole Composite Shank Goodyear Storm Welt Construction MAXWear Oil & Slip-Resistant Wedge Sole Outsole Electrical Hazard Rated Made In The U.S.A. with U.S.A. & Globally Sourced Components Color: Crazy Horse

\$230.00 Thorogood 804-4135

Rubber Boots



Features and benefits:

- Composite safety toe meets ASTM F2413 M I/75 C/75.
- Lighter compared to most steel toe PVC and rubber boots.
- Food Processing uses: Dairy, Meats, Vegetables, and Refrigerated Foods.
- Chemical resistance to fats, oils, hydrocarbons, and certain acids,
- Excellent choice for petrochemical applications.
- 15 inch height blue upper.
- Chevron-Plus® outsole spits out debris slip resistance on wet-contaminated surfaces.
- Tiny air bubbles trapped within the material keep feet warm in the cold and cooler in the heat.
- Electrical Hazard soles and heels

\$65 Tingley 28259



Steel-Toe Adjustable Gusset Protective Work Boot
Safety matters! Steel-toe protection and all-day comfort! Adjustable gusset style for big calf comfort. Solid rubber, long-wearing outsole for traction and durability ANSI-rated steel toe for safety Meets ASTM F2413-11 M I/75 C/75 EH Meets ASTM-471 for Oil Resistance and ASTM F-1677 for Slip Resistance Rigid triple-layer toe and heel reinforcements Yellow treatments to indicate safety Double achilles heel and instep reinforcement for comfort and protection Removable molded EVA sockliner Features unisex sizing Steel shank for added arch support Customize to fit larger calves for optimum comfort and protection with our expandable gusset and adjustable locking strap. Extra room also accommodates layers of clothing being tucked into the boot

\$154.00 Dry shod



ASTM - Certified Slip resistant outsole Protective ToeCap Waterproof Cold insulation Oil resistant outsole Chemical Resistant Energy absorbing Antistatic Comfort

\$126.00 Dunlop 6123155

Men's Shoes



Features and benefits:

- The alloy toe meets or exceeds ASTM F2413 safety standards.
- MicroWeb lacing system keeps your foot locked in with lateral stability.
- Microfiber and Mesh
- Moisture Wicking Nylon Mesh
- MemoryTech Removable Cushion Footbed
- DMXRide Cushion Foam Midsole with Slip Resistant Rubber Outsole
- Extra Wide Toe

\$116 Reebok RB3402

Type Athletic Work Shoe Toe Composite Toe Upper Microfiber, Textile, and TPU Color Gray and Red Lining Microfiber Lining Insole MemoryTech Removable Cushion Footbed Outsole Flexagon Foam Midsole and Slip Resistant Rubber Heel and Forefoot Pads Special Features 100% Non-Metallic, Extra Wide Toe, Dual Resistor (SD10), Flex Grooves, Fuelfoam

\$104 Reebok RB5443



Volcom Work Men's Chill Casual Work Shoe Comp Toe
Upper: Canvas Color: Black Lining: Mesh Insole: Soft
Landing Comfort Insole Outsole: Grip Styk Stone-
Themed Slip Resistant Rubber Outsole Special
Features: 100% Non-Metallic ASTM F2413 Electrical
Hazard Slip Resistant - ASTM F3445

\$86 Volcom VM30802



Volcom Work Men's Chill Casual Work Shoe Comp Toe
Upper: Canvas Color: Grey Lining: Mesh Insole: Soft
Landing Comfort Insole Outsole: Grip Styk Stone-
Themed Slip Resistant Rubber Outsole Special
Features: 100% Non-Metallic ASTM F2413 Electrical
Hazard Slip Resistant - ASTM F3445

\$86 Volcom VM30801



ANSI/ASTM I75 & C75 Approved Men's KEEN Utility Flint II Steel Toe Work Shoe 1023268 Water-Resistant Leather Upper Mesh & Moisture-Wicking Textile Lining Removable Metatomical PU Footbed Oil and Slip-Resistant Non-Marking Rubber Outsole Siped Outsole Disperses Liquids Quickly for Increased Traction Reflective Webbing for Additional Safety and Visibility ESS Stability for Midfoot Support Shellback Heel Support Environmentally Preferred Premium Leather from LWG-Certified Tannery PFC-Free, Durable Water Repellent Keen.ReGen Lightweight Compression-Resisting Midsole Left and Right Asymmetrical Aluminum Toes Electrical Hazard Rated Color: Shittake/Rust

\$129 Keen-1023268



Men's Athletic Work Shoe XTR™ Extra wide composite toe reduces weight while maintaining impact protection (meets or exceeds ASTM F2413) Electrical Hazard Protection Metal Free Slip Resistant (SR) - Soles designed to provide a high coefficient of friction with the walking surface to improve slip resistance. Iconic Zig Rubber Outsole in a shape that is made to cut down on weight and stiffness and provide pillowy cushioning that offers a seamless stride. Engineered mesh uppers with reflective overlays and dip dye treatments on midsole will turn heads at work. Targeted foam panels at the tongue and collar offer additional support and comfort. Experience easy work with high flexibility in the midfoot, spaciousness in the forefoot, and high cushioning underfoot.

\$119.00 Reebok RB3032



Volcom Chill Men's Toe Type: Composite Upper:
Canvas Color: Static Footwear Type: Slip-On Casual
Work Shoe Lining: Mesh Insole: Soft Landing Comfort
Insole Outsole: Grip Styk Stone-Themed Slip Resistant
Rubber Outsole Special Features: 100% Non-Metallic,
Dual Resistor (SD10) ASTM F2413 Slip Resistant -
ASTM F3445 Always feel chill

\$93 Volcom VM30809



Heat-resistant rubber outsole rated up to 572°F/300°C
100% non-metallic construction for easily passing
through metal detectors in highly-secured areas Non-
mutilating upper reduces the chance of marking or
scratching surfaces KonnectFit heel-capture system for
a locked-in feel Nylon shank for midfoot support PFAS-
free, durable water repellent repels water just as well as
forever chemicals without harming the planet

\$121 Keen 1029698





Non-metallic Padded collar and tongue ASTM F2413 protective toe classification ASTM F2413 electrical hazard standard Oil- and slip-resistant rubber outsole Contoured removable cushion insole Nylon mesh and synthetic leather upper 3 Inches in height Composite toe Cement construction Flat outsole; no heel ASTM F3445 slip-resisting

\$102.00 DC60102



Men's Black, Grey and Blue Work High-Top ASTM F2413 XTR Composite Toe Static Dissipative (SD10) Slip Resistant - ASTM F3445 Metal Free Action Nubuck, PU Nubuck, and Mesh upper with lightweight mesh tongue for breathability at work Foam padded tongue and collar for added comfort and support. Extra wide composite toes meet ASTM F2413 impact and compression standards, protecting and freeing your toes while you hustle and push each work day. Meets SD-10 Static Dissipative standard with a patented Dual Resistor technology. Wrap cupsole construction adds extra connection as you hustle

\$112.00 Dc60205

ANSI/ASTM I75 & C75 Approved Men's Airwalk Composite Toe Metal Free Work Shoe AW5020 Mongo Series Full Grain Leather Upper Breathable & Moisture-Wicking Lining Dual-Density PU Insole EVA Midsole Cement Construction Oil & Slip-Resistant Outsole 100% Non-Metallic Electrical Hazard Rated Color - Chocolate Brown

\$103.00 Airwalk AW5020



Heat-resistant rubber outsole rated up to 572°F/300°C 100% non-metallic construction for easily passing through metal detectors in highly-secured areas Non-mutilating upper reduces the chance of marking or scratching surfaces Cement construction for flexible, lightweight performance. KEEN.LOCKFIT firm U-shaped support provides extra heel stability KonnectFit heel-capture system for a locked-in feel

\$125.00 Keen 1030756





Textile upper with suede overlays for a tonal, textured look that is both subtle and stylish. XTR Extra wide composite toe provides superior protection while offering extra room for toe movement and comfort. DMX Foam Cushioning delivers complete comfort with every stride, complemented by a TPU midfoot transition plate for enhanced stability. MemoryTech Massage 2.0 footbed conforms to the contours of your foot, offering immediate cushioning and support. Slip Resistant (SR) soles ensure a high coefficient of friction with walking surfaces, significantly improving slip resistance.

\$119.00 Reebok RB5203



Nano Composite safety toe caps are lightweight, non-metallic/metal detector friendly and non-conductive to heat or cold Nano Composite toe styles meet or exceed ASTM 2413-18 standards Insite footbeds provide high rebound cushion with podiatrist designed arch support Carhartt LWD midsole provides elevated lightweight comfort with the expected Carhartt durability FastDry Technology Lining wicks away sweat for comfort Static dissipative shoes reduce the buildup of static electricity in the workplace Meets the ASTM F2413-18 SD 35 standards

\$95.00 Carhartt FG2465

Women's Footwear



Type Athletic Work Shoe Toe Composite Toe Upper Mesh with TPU Heel Stabilizer Color Slate Blue and Salmon Lining Moisture Wicking Nylon Mesh Insole MemoryTech Massage 2.0 Removable Cushion Footbed Outsole Lugged Slip Resistant Rubber Bottom with Floatride Energy Foam Midsole Special Features 100% Non-Metallic, Extra Wide Toe, Floatride Energy Foam

\$118 Reebok RB382

Features and benefits:

- Safety toe meets ASTM F2413-18 EH standards
- Soft toe meets ASTM F2892-18 SD 35 standards
- Slip resistance meets ASTM F3445-21 SR standards
- Insite® technology footbed engineered with maximum arch support to reduce foot fatigue.
- Lightweight, high-rebound EVA midsole
- Cement-constructed
- Force rubber outsole for grip, traction, and flexibility.

\$118 Carhartt FS2401





Cushion insole EVA midsole Non-metallic Abrasion-resistant toe and heel guards ASTM F2413 protective toe classification ASTM F2413 electrical hazard standard MARK II ASTM F1677 tested slip-resistant outsole Rubber outsole inserts Textile upper Composite toe Weight: 1.8 pounds per pair for a size 10

\$77.00 Nautilus N5200



Cushion insole EVA midsole Non-metallic Abrasion-resistant toe and heel guards ASTM F2413 protective toe classification ASTM F2413 electrical hazard standard MARK II ASTM F1677 tested slip-resistant outsole Rubber outsole inserts Textile upper Composite toe Weight: 1.8 pounds per pair for a size 10

\$77.00 Nautilus N5201



Women's Athletic Work Shoe XTR™ Extra wide composite toe reduces weight while maintaining impact protection (meets or exceeds ASTM F2413) Electrical Hazard Protection Metal Free Slip Resistant (SR) - Soles designed to provide a high coefficient of friction with the walking surface to improve slip resistance. Iconic Zig Rubber Outsole in a shape that is made to cut down on weight and stiffness and provide pillowy cushioning that offers a seamless stride. Engineered mesh uppers with reflective overlays and dip dye treatments on midsole will turn heads at work. Targeted foam panels at the tongue and collar offer additional support and comfort. Experience easy work with high flexibility in the midfoot, spaciousness in the forefoot, and high cushioning underfoot

\$119.00 Reebok RB303



Women's Athletic Work Shoe XTR™ Extra wide composite toe reduces weight while maintaining impact protection (meets or exceeds ASTM F2413) Dual Resistor patented technology meets SD10 Static Dissipative standards. Metal Free Slip Resistant (SR) - Soles designed to provide a high coefficient of friction with the walking surface to improve slip resistance. Iconic Zig Rubber Outsole in a shape that is made to cut down on weight and stiffness and provide pillowy cushioning that offers a seamless stride. Engineered mesh uppers with reflective overlays and dip dye treatments on midsole will turn heads at work. Targeted foam panels at the tongue and collar offer additional support and comfort. Experience easy work with high flexibility in the midfoot, spaciousness in the forefoot, and high cushioning underfoot.

\$126.00 reebok RB309

Volcom Chill Women's Toe Type: Composite Upper:
Canvas Color: Static Footwear Type: Slip-On Casual
Work Shoe Lining: Mesh Insole: Soft Landing Comfort
Insole Outsole: Grip Styk Stone-Themed Slip Resistant
Rubber Outsole Special Features: 100% Non-Metallic,
Dual Resistor (SD10) ASTM F2413 Slip Resistant -
ASTM F3445 Always feel chill at wor

\$93 Volcom VM30809F



Full-grain leather upper. Steel safety toe meets or
exceeds ANSI standards ASTM F2413-18 M/I/C EH.
Removable, moisture-wicking, antibacterial and
machine washable molded footbed. Three-quarter
length composite insole provides unrivaled support and
stability. Oil/Slip-resistant molded rubber outsole
provides durability and improved traction.

\$119 Twisted X WDMST01





Women's Casual Work Shoe ASTM F2413, Composite Toe, Electrical Hazard, Slip Resistant - ASTM F3445, No Metal Soft Landing Comfort Insole helps you rebound with every step Composite Toe protects your digits against all dangers, meetings ASTM F2413 standards Grip Styk Stone-Themed Slip Resistant outsole works hard to prevent you from wiping out, meeting ASTM F3445 standards Casual uppers and silhouettes that let you be true to your personality at work Quality work shoes for the persistent who are true to their passions and seeking to elevate the

\$93 Volcom VM30802F



Heat-resistant rubber outsole rated up to 572°F/300°C 100% non-metallic construction for easily passing through metal detectors in highly-secured areas Non-mutilating upper reduces the chance of marking or scratching surfaces KonnectFit heel-capture system for a locked-in feel Nylon shank for midfoot support PFAS-free, durable water repellent repels water just as well as forever chemicals without harming the planet

\$116 Keen 1029699

Durable canvas upper FastDry™ technology lining wicks away sweat Wide toe box for maximum comfort Carhartt LWD Lightweight Durable midsole with Insite® footbed Nylon shank Non-mutilating and non-metallic Cement construction with Carhartt rubber Detroit outsole Slip Resistant meets ASTM F3445-21 SR Nano Toe meets ASTM F2413-18 SD35 Imported

\$86.00 Carhartt FC2461





ANSI/ASTM F2413 - I75 - C75 - MT/75 Approved
ASTM F3445 Slip-Resistant Rated Women's Roxy
Composite Toe Wedge Sole Metal Free Side-Zip Mid
Shoe 90203 Rae Work High-Top Series Durable
Microfiber and Polyurethane Upper Moisture-Wicking
Nylon Mesh Lining Removable Memory Foam Padded
Footbed Durable, Slip-Resistant Rubber Outsole Extra
Wide Toe 100% Non-Metallic Electrical Hazard Rated
Color: Black

\$93 Roxy Warson RX90203



Steel Toe Meets or exceed ASTM 2413-18 standards.
Water resistant leather upper with stretch gore Rain
Defender® repels water to keep your feet dry in light
rain. Insite®: footbeds provide high rebound cushion
with podiatrist designed arch support. Lightweight EVA
midsole combines flexibility with maximum comfort and
rebound. Durable rubber outsole with dirt releasing lugs
and a 90 degree heel. FastDry™ Technology Lining
wicks away sweat for comfort. Imported

\$126 Carhartt fn6294



Waterproof and stain-resistant leather upper certified by LWG Metal hardware KEEN.DRY waterproof, breathable membrane seals out moisture from the inside Removable metatomeal insole Mesh liner provides breathability to help keep feet cool in warm environments Keen Luftcell midsole infused with millions of microscopic bubbles for all-day comfort Nylon Shank Cement construction for flexible, lightweight performance Oil- and slip-resistant non-marking rubber outsole Heat-resistant rubber outsole rated up to 572°F/300°C Outsole channels direct water away from better grip in wet conditions Aluminum safety toe weighs 35% less than steel and offers a sleeker toe profile Electrical hazard protection

\$156 Keen 1029696



Features and benefits:

- Aluminum toes weigh 35% less than steel
- Built around a woman's biomechanics and foot structure
- KEEN.DRY waterproof, breathable membrane
- Electrical hazard (EH) or Electric Shock Resistant (ESR) standards
- Shellback heel support
- Cleansport NXT Technology for natural odor protection

\$151 Keen 1026369



Carbon Toe/ WP 90 degree heel Oil & slip resistant
Keen Dry- WP Regen midsole energy return Heavy
Duty Metal I lace lock Heat Resistant, rubber outsole
rated up to 572 F/ 300 C

\$134 Keen 1029152

Features and benefits:



- Jungle Boot is a 6 inch high Ankle Boot with a convenient industrial grade Side Zip so you can tie your laces for the perfect fit and use the zipper for speedy on and off.
- Made from premium Sand colored Leather that is ethically and environmentally sourced.
- The low-cut scalloped collar and padded tongue assist ease of movement and feature on-trend animal print.

\$189 Steel blue 812861



Height: 10" Horseman heel 1.5" heel height Square toe
4LR technology provides lightweight support and stability DRYShield waterproof breathable construction
U-Turn Entry System lets people with high arches easily slip on their boots VentTEK mesh panels keep you cool
Removable All Day Cushioning insole Lightweight EVA midsole absorbs shock Oil- and slip-resisting Duratread sole for maximum wear resistance, passes hot contact test at 300°C/572°F 90° heel ASTM F2413 F/I/C EH rated Non-metallic toe, meets ASTM standards for safety toe footwear Metal detector friendly
\$163.00 Ariat 10050827



Square toe ASTM F2413 protective toe classification
ASTM F2413 electrical hazard standard Expansion Fit Seam for easy on and off Fiberglass shank 11 Inches in height
Waterproof Full Grain Leather Rocky® Air-Port Lite® Sponge PU Footbed with Memory Foam Double Stitch Flex Welt Construction
Proprietary Lightweight Oil & Slip Resisting Rocky® MonoCrepe Outsole Guaranteed Rocky® Recycled Waterproof Construction
\$151.00 Rocky RKW0444



This is the women's 10" Western Waterproof Steel Toe Rugged Tan Durango® Maverick™. This style is full-grain leather with a faux shaft, has a soft mesh lining, waterproof membrane bootie construction and the Durango® X-Pand System™ which is a hidden gore expansion for universal fit and easy on/off. It also includes the Durango® X-Treme Comfort Footbed™ with memory foam for all day comfort and support. This style also features a fiberglass shank which provides lightweight stability and the rolled shank area allows easy placement in the stirrup. The style is finished off with a slip and oil-resistant rubber outsole, single row sole stitch, 1 1/8" rocker heel and square toe. Pull on all-day work comfort in this women's 10" Western Waterproof Steel Toe Rugged Tan Durango® Maverick™. Get a pair today!

\$152 Durango DRD0416



Features and Benefits:

- Nano composite Toe Western Work boot
- Waterproof western work boot with a breathable air-mesh lining
- Full-grain leather
- Double-stitched storm welt, with reinforced pull holes
- Safety toe meets or exceeds ANSI ASTM F2413-18 M/I/C EH rated
- Slip resistant
- Twisted X® patent-pending CellStretch® comfort technology comfort

\$206 Twisted X MXBNW01



Frye Supply Men's The Safety-Crafted Western Boot 10" Waterproof Western Work Boot Tan Steel Toe Genuine Crazy Horse Leather Upper Moisture Wicking Liner for Comfort and Odor Absorption The Comfort-Crafted Insole by Frye Supply EVA Midsole with a Slip-Resistant Defined Heel Rubber Outsole Iconic Goodyear Welt Construction on Heel and Toe Area Release Expander Hydrotex Waterproofing ASTM F2413 Slip Resistant (ASTM F3445) Electrical Hazard

\$186 Frye FR40103