



Safety Footwear Catalog

Ariat, Carhartt, Carolina, Cat, Chippewa,
Danner, Double H, Durango, Frye Supply,
Georgia, Iron Age, Justin, Keen, Kodiak,
Merrell Safety, Muck, Reebok, Rockport,
Rocky, Terra, Thorogood, Timberland, Tony
Lama, Tingley, Twisted X, Volcom, Wolverine

Men's Pull On Safety Boots



- Waterproof Pro construction with waterproof full-grain leather
- Rebound foam insole; ATS MAX comfort technology
- Mesh lining; Six-row upper stitch; Goodyear welt
- Shock-absorbing EVA midsole with ESS extra protection and support
- Oil/slip resisting Duratread outsole
- Carbon toe is F2413-11 M I/75 C/75 EH rated for safety
- Non-metallic toe for electronic security working conditions
- 1.5" and 90 degree stockman heel
- Patented U-Turn entry system makes pulling on ease
- 11" shaft height

ASTM F3445-21
\$230.00 Ariat 10024968



These waterproof, composite toe work boots are built to handle long days in wet, demanding conditions. Durable materials help block moisture while a supportive fit delivers stability and comfort throughout the workday. Designed for dependable performance, they keep you moving no matter the conditions.

ASTM F3445-21
\$198.00 Justin CR4019

Height: 11" Brown Barnyard Acid Resistant Leather Upper Composite Safety Toe Molded Heavy Duty Pullholes Mesh Lining with Waterproof Membrane Electrical Hazard Rated 100% Non-Metallic AG8 Dual-Density PU Removable Footbed All-Around Goodyear Welt Construction Rubber Heel Rand EVA Midsole Oil & Slip Resisting I.C.E.TM Equipped Outsole 1" Heel Height

ASTM F3445-21
\$182.00 Double H PH5010



Features and benefits:

- Steel Toe that meets ASTM F24 C/75 I/75 Standards
- 4LR™ lightweight stabilizing shank for support
- Waterproof PRO full-grain leather
- Extra comfort insole with higher rebound
- Durable oil- and slip-resistant Duratread™ sole
- 90° heel
- Four-row stitch pattern

ASTM F3445-21
\$180 Ariat 10024992



Features and Benefits:



- Light carbon-fiber safety toe.
- Meets ASTM F24 standards.
- Electrical Hazard rated.
- Ventex mesh panels enable air flow to keep you cool and comfortable.
- Cushioning mid sole for shock absorption.
- Goodyear welt construction.
- Oil and slip resistant rubber outsole.
- Waterproof liner to keep your feet dry.
- 90° heel.

ASTM F3445-21
\$245 Ariat 10035881

Features and Benefits:



- Light carbon safety toe.
- Waterproof liner to keep your feet dry.
- Meets ASTM F24 standards.
- Electrical Hazard rated.
- Cushioning mid sole for shock absorption.
- Goodyear welt construction.
- Oil and slip resistant cushioning outsole for shock absorption.
- Patented U-Turn Entry system allows easier entry for those with high arches.
- 90° heel.

ASTM F3445-21
\$230 Ariat 10036002



Waterproof membrane Square toe Rolled shank area
Fiberglass shank Rocker heel 1 1/2" Soft mesh lining
Full-grain leather with faux exotic elephant embossed
vamp, fox, collar and pull straps with faux shaft Double
row sole stitch Dual-Density Midsole with firmer shock
absorbing heel for added stability and a soft shock
absorbing forepart for ultimate flexibility and comfort
Anti-torsion rigid external shank provides added lateral
stability High abrasion heel counter Multi-Durometer
Rubber Outsole with high abrasion rubber outer lugs
for high-impact durability and softer durometer mid
lugs for added flexibility and increased slip, oil and
heat resistance ASTM F3445-21

\$164 Durango DDB0176



Full-grain leather Composite safety toe Composite
shank Rubber/EVA outsole Waterproof Removable
single-density polyurethane footbed Goodyear welt
construction ASTM F3445-21

\$155 Thorogood 804-4343



Waterproof full-grain leather Durable rubber outsole
SRX for extreme slip resistance Cement construction
100% post industrial recycled lining Cushioned foam
footbed Durable and lightweight EVA midsole 100%
post industrial recycled sock lining with
CLEANSPORT NXT pro-biotic odor control Slip
resistant Electrical hazard Composite toe Imported
ASTM F3445-21

\$158 Cat p91755



Crazy Horse Tan Leather Upper Composite Safety
Toe Waterproof SCUBALINER™ Mesh Lining
Removable Double Tuff Polyurethane Footbed
Electrical Hazard Rated Welt Construction EVA
Midsole Non-Metallic Shank Oil & Slip Resisting
Rubber Outsole ASTM F3445-21

\$187 Carolina CA8541



From sun up to sundown the Montana delivers comfort and durability for those who think a long day is just another day. This square toe style is crafted with rugged leather and a Storm Defender™ waterproof membrane for enhanced durability and protection. Pull them on and feel the cushion and arch support from the INSITE® footbed for nonstop comfort until you punch the clock.

ASTM F3445-21
\$196 Carhartt FQ1414



Leather upper Steel toe Pull-on style with pull tabs 11" shaft height Oil- and slip-resisting rubber outsole Electrical hazard protection Removeable footbed Stockman heel Steel Safety Toe- ASTM F2413-05 M I/75 C/75 Waterproof construction Style: HL4235 ASTM F3445-21

\$219.00 Justin HL4235



Brown genuine leather boot. Two-row stitch embroidery. Leather pull on tabs. 11" shaft height. Round toe shape. Composite safety toe protection. Cement construction. DRYShield™ waterproof breathable construction. Soft toe is ASTM F2892-18 EH rated. Safety toe is ASTM F2413-18 M/I/C EH rated. Lightweight sole made w/ SMARTLITE™ material from Huntsman. Lightweight, shock-absorbing FLX Foam™ midsole. Removable all day cushioning insole. 100% non-metallic. 50% recycled polyester lining. 90° heel. 1.25" heel height. ASTM F3445-21

\$183 Ariat 10063861



Steel Toe Crazyhorse Leather Upper Moisture Wicking Nylon Mesh Lining EVA Cushion Removable Footbed Insole with Sponge Rubber Heel Wedge Special Features: Extra Wide Toes, Hydrotex Waterproof, Expander Seam, Pull Tabs ASTM F2413 Electrical Hazard Protection Slip Resistant (SRO) ASTM F3445-21

\$114 Iron Age IA5041 Outlaw_01

Features and Benefits:

- Composite safety toe.
- Meets ASTM F24 C/75 I/75 standards.
- Electrical Hazard rated.
- Cushioning mid sole for shock absorption.
- Goodyear welt construction.
- Ariat's U-Turn Entry System for easy entry regardless foot shape.
- All-conditions Workhog with Western flair.
- Waterproof liner keep your feet dry in the snow.
- Ariat's highly abrasion-resistant oil- and slip-resisting outsole.

ASTM F3445-21
\$219 Ariat 10001200



Electric Hazard - Our electrical hazard rated boots protect you from open electrical currents from the bottom up. Tested up to 18,000 volts. Slip Resisting - Designed with heavy-duty outsoles that influence the grip of the boot when walking on wet surfaces. Steel Toe - From the ranch to the construction site, our steel toe boots are the ideal solution for the working man and woman meeting industry standards for impact and compression. Waterproof - We use only the best construction and components to create waterproof boots that keep your feet dry no matter the conditions. ASTM F3445-21

\$133.00 Justin PD4069



Premium full-grain leather upper Nano composite toe Woven lining 11" shaft height Lace-up style OrthoLite removeable insert Sewn seat construction Vibram oil-, slip-, and puncture-resisting rubber outsole Electrical hazard rated Imported Style: WR4149 ASTM F3445-21

\$163.00 Justin WR4149



Asymmetrical composite safety toe Breathable membrane delivers waterproof protection and blood-borne pathogen resistance (available) Provides underfoot protection from electrical currents of less than 600 volts meeting ASTM standards Timberland PRO® Rubber outsole for durability and superior traction Anti-Fatigue technology comfort platform for shock absorption and energy return Lightweight Hover Spring foam features high-rebound performance for industry leading underfoot comfort Lug design combined with specific outsole compounds for slip-resistant performance including on contaminated, oily wet surfaces meeting the SRO requirements of ASTM 2413 when tested to F2913 Smart Comfort™ hidden seam expands for ease of entry Premium full grain leather upper Cement construction for lightweight flexibility Microban® technology provides an extra layer of protection on footwear fabrics to help against unpleasant odors, stains and deterioration ASTM F3445-21

\$159 Timberland A44DG



Fiberglass shank Guaranteed Rocky® Waterproof construction ASTM F2413 protective toe classification Waterproof Full-Grain Leather Foot with Fancy-Stitch Shaft and Decorative Toe Bug Non-metallic Rocky® Air-Port Lite® Sponge PU Footbed with Memory Foam Anti-Microbial Mesh Top Expansion Fit Seam for easy on and off 11 Inches in height ASTM F2413 electrical hazard standard Oil & Slip Resisting Rubber Outsole Double-Row Stitch Flex Welt Construction Lightweight EVA Midsole

ASTM F3445-21
\$169.00 Rocky RKW0475



This Men's 12" Waterproof Nano Toe Western Work boot provides you the support and safety you need to survive the work day. This western work boot is handcrafted in traditional western boot profiles using signature full-grain leathers, air-mesh lining, taped seams, and a Twisted X® patent-pending CellStretch® comfort technology for superior comfort. These comfort features are paired with a waterproof lining, double-stitched storm welt, reinforced pull holes, and an EH-rated oil and slip resistant molded rubber outsole to produce an industry leading work boot. Nano Composite Safety Toe meets or exceeds ANSI standards ASTM F2413-18 M/I/C EH. Our Nano Safety Toe is made with carbon nanotubes woven together to create one of the strongest and lightweight safety toes, while still providing protection, comfort, and durability. Twisted X® Western Work boots provide all the comfort and durability that you need to outperform any demanding work environment.

ASTM F3445-21
\$224.00 Twisted X MXBNW01



These steel toe western work boots are a fusion of iconic style and modern protection, engineered to meet the rigorous demands of your work. Meet any challenge head-on with safety features like built in electrical hazard protection and slip-resistant outsoles that meet the ASTM F3445 standards. Plus, a defined heel gives a western flair without sacrificing stability. The iconic Goodyear Welt Construction is among the best at preventing water from entering the soles at the seams, paired with Hydrotex™ waterproofing and moisture-wicking lining.

ASTM F3445-21
\$205.00 Frye FR40103



Heat, chemical, abrasion, and slip-resisting dual-density EVA and Carbo-Tec rubber outsole
Full-grain leather upper
Cement construction
Georgia waterproof system
Fiberglass shank
Alloy safety toe for lightweight protection
AMP (Advanced Memory Polyurethane) insole
ASTM F2413 electrical hazard standard
Ergo-Fit safety toe designed to match contours of feet, providing superior comfort and flexibility
ASTM F2413 protective toe classification
Abrasion-resistant DuraBlend midsole
11 Inches in height

ASTM F3445-21
\$206.00 Georgia GB00672



ANSI/ASTM I75& C75 Approved Men's Keen Utility Composite Toe WP Wellington Metal Free Boot 1030500 Evanston WP Series Full-Grain Barnyard-Resistant Leather Upper PFAS Free KEEN.DRY Waterproof, Breathable Technology KEEN.ReGEN Lightweight, Compression-Resisting Midsole Oil & Slip-Resistant Non-Marking Multidirectional Lugged Rubber Outsole Left and Right Asymmetrical Non-Metallic Carbon Safety Toes Secure Heel Hold and Easy On/Off Convenience 90 Degree Heel 100% Non-Metallic Electrical Hazard Rated Color: Bison ASTM F3445-21

\$146.00 Keen 1030500

Men's 8" Lace up Boots

Features and benefits:



- Steel toe that meets ASTM F24 C/75 I/75 standards
- Full-grain leather
- Waterproof™
- Removable Ultimate Shock Absorption™ footbed
- Fiberglass shank
- MAXWear Wedge slip resistant outsole
- Goodyear storm welt construction
- Made in USA with USA and globally sourced components

ASTM F3445-21
\$266 Thorogood 804-3800

Features and Benefits:



- American made.
- Light alloy safety toe.
- Meets ASTM F24 C/75 I/75 standards.
- Electrical Hazard rated.
- Stitch-down construction.
- Oil and slip resistant Vibram rubber outsole. With a 90° heel.
- It features a Gore-Tex waterproof liner that allows moisture to get out.
- Hyper-strong thread is used to triple stitch our toughest boots.
- Non-linear lug pattern for superior traction and debris release.

ASTM F3445-21
\$276 Danner 17307



Premium Timberland® full-grain leather upper with an internal waterproof membrane We are a member of the Leather Working Group Asymmetrical composite safety toe Electrical Hazard Protection Fiberglass shank for structural support Anti-Fatigue Technology polyurethane footbed for shock absorption and energy return Lightweight Hover Spring™ foam midsole provides industry-leading underfoot comfort, flexibility, and durability Breathable and moisture-wicking lining with antimicrobial treatment for odor control Top speed hooks for instant lacing Cement construction for flexibility Heat-, oil-, slip-, and abrasion-resistant, non-marking Timberland PRO® rubber convex outsole for superior indoor/outdoor traction Mark II oily wet #3 on American Olean tile at .43 ASTM F3445-21

\$162 Timberland A5U4Y

Features and Benefits:



- Light composite safety toe that meets ASTM F24 C/75 I/75 standards.
- Electrical Hazard rated.
- Goodyear welt construction.
- Oil and slip resistant rubber lug outsole. 90° heel.
- Waterproof liner to keep your feet dry.
- Cigar Leather Upper and features a Composite Safety Toe Cap.
- Triple-Rib Steel Shank for extra support.

ASTM F3445-21
\$200 Carolina CA8528



Composite Safety Toe Waterproof Membrane Blood-borne Pathogen Resistant Electric Hazard Protection 600g Insulation Anti-Fatigue Technology - PRO 30-Day Comfort Guarantee ReBOTL™ Material All-Weather TPU Outsole Microban Odor Resistant Footwear Liner OrthoLite® Insoles ASTM F3445-21

\$219.00 Timberland 89628



Asymmetrical composite safety toe Premium full-grain waterproof leather with waterproof membrane and molded TPU reinforcements Upper includes premium Ever-Guard™ leather for abrasion resistance and performance in harsh, corrosive environments Ventilated Anti-Fatigue Technology polyurethane footbed for climate control, shock absorption, and energy return Lightweight Hover Spring™ foam midsole provides industry leading underfoot comfort, flexibility, and durability Oil and slip resistant All-weather TPU outsole for abrasion resistance and lightweight performance in all climates Metal-free upper with eyelet reinforcements and molded TPU dual purpose hooks for lacing customization Microban technology provides an extra layer of protection on footwear fabrics to help against unpleasant odors, stains, and deterioration Non-metallic shank for structural support Combination Goodyear welt and cement forefoot construction for durability and flexibility ASTM F3445-21

\$172.00 Timberland A648Y



NSI/ASTM I75 & C75 Approved ASTM F3445 Slip-Resistant Rated Men's Thorogood 8" Steel Toe Moc Toe Boot (U.S.A. Made) 804-4398 American Heritage Series Full-Grain American Leather Upper Removable Ultimate Shock Absorption™ Footbed Poron® Cushion Insole Composite Shank Goodyear Welt Construction MAXWear 90™ Oil & Slip-Resistant Outsole Electrical Hazard Rated Made In The U.S.A. with U.S.A. & Globally Sourced Components Color: Brown ASTM F3445-21

\$258 Thorogood 804-4398



The Southern Cross Zip Scuff in Sand is a 6-inch boot with a durable TPU scuff cap and ErgoDefender™ Steel Toe Cap protection. Designed for rugged performance with an industrial grade side zip, TPU outsole, and Trisole® cushioning. ASTM F2413 compliant. ASTM F3445-21

\$198 Steel Blue 812961

Men's 4"-6" Lace Up Boots



The Men's 6" Chelsea UltraLite X™ Work Boot combines modern comfort with essential protection. This waterproof Chelsea boot features a nano composite safety toe for lightweight protection along with a convenient pull-on design, all encased in a classic style that easily transitions from the jobsite to afterhours. EH protection safeguards against electrical hazards while the slip-resistant rubber outsole grips dry, wet, and oily surfaces. Inside, the Blend85™ footbed and ecoTWEED™ lining provide sustainable all-day comfort. Perfect for work environments that demand both style and safety. ASTM F3445-21

\$172 Twisted X MUNW004

ANSI/ASTM I75& C75 Approved Men's Timberland 6" Composite Toe Waterproof Work Boot A42FY Titan® EV Series Premium Full-Grain Waterproof Leather Waterproof Membrane Construction Breathable and Moisture-Wicking Lining with Anti-Microbial Treatment for Odor Control Anti-Fatigue Technology PU Footbed Fiberglass Shank Lightweight Hover Spring™ Foam Midsole Cement Construction Superior Indoor/Outdoor Traction and Slip-Resistant Rubber Convex Outsole Design Top Speed Hooks for Instant Lacing Asymmetrical Composite Safety Toe Electrical Hazard Rated Color: Teak Trailblazer ASTM F3445-21

\$151 A42FY



Left and right asymmetrical, non-metallic carbon-fiber toes offer unobtrusive fit and are 15% lighter than steel KEEN.DRY waterproof, breathable membrane Nylon shank for midfoot support 90° heel provides stability and helps catch or lock the foot in place Electrical hazard (EH) or Electric Shock Resistant (ESR) footwear provides a secondary source of protection in case accidentally coming into contact with live electrical circuits Environmentally preferred premium leather from LWG-Certified Tannery PFC-Free, durable water repellent MATERIALS Full-grain barnyard resistant waterproof leather helps resist the damaging effects of oleic acid, urea, sodium chloride, and ammonium hydroxide Locking metal lace hooks Mesh liner provides breathability to help keep feet cool in warm environments Removable, dual-density PolyAer PU footbed with aerated pillow-top cushioning KEEN Luftcell: Air-infused, PU midsole for weightless comfort Oil- and slip-resistant non-marking rubber outsole ASTM F3445-21

\$177 Keen 1027663





Height: 6" 1.75" heel height Round toe ATS technology provides ergonomic support on uneven terrain DRYShield waterproof breathable construction BOA Fit System delivers dialed in performance and micro-adjustable precision fit Removable Energy Max anti-fatigue insole for maximum comfort FLX Foam midsole has a light springy feel that cushions every step Oil- and slip-resisting Duratread sole for maximum wear resistance, passes hot contact test at 300°C/572°F Outdoor traction lugs with debris-releasing tread 90° heel Resolable Goodyear welt construction for durability Reinforced ExGuards reduce wear on toe and heel Lightly padded collar and tongue top ASTM F2413 M/I/C EH rated Non-metallic toe, meets ASTM standards for safety toe footwear ASTM F3445-21

\$238 Ariat 10048060



Waterproof full-grain leather Durable rubber outsole SRX for extreme slip resistance Cement construction 100% post industrial recycled lining Cushioned foam footbed Durable and lightweight EVA midsole 100% post industrial recycled sock lining with CLEANSPOORT NXT pro-biotic odor control Electrical hazard Slip resistant Composite toe Imported ASTM F3445-21

\$138 Cat P91723



BOA® Fit System ASTM F2413 protective toe classification ASTM F2413 electrical hazard standard 6 Inches in height Waterproof Full Grain Leather Rocky® Air-Port Lite® Sponge PU Footbed with Memory Foam Guaranteed Rocky® Recycled Waterproof Construction Flex Welt Construction Oil, Slip, Barnyard Acid, and Chemical-Resisting PU Outsole ASTM F3445-21

\$177 Rocky RKK0493



KEEN.DRY waterproof, breathable membrane seals out moisture from the inside Heat-resistant rubber outsole rated up to 572°F/300°C Contoured heel guard helps protect against bumps, scrapes, wear, and tear Nylon shank for midfoot support Environmentally preferred premium leather from LWG-certified tannery for cleaner water PFAS-free, durable water repellent repels water just as well as forever chemicals without harming the planet ASTM F3445-21

\$139 Keen 1029149

ANSI/ASTM I75 & C75 Approved Men's Carhartt 6" Composite Toe WP Moc Toe Wedge Sole Metal Free Boot FM6423-M Millbrook Nano Toe Series Waterproof Leather Upper Storm Defender® Waterproof Breathable Membrane FastyDry™ Technology Lining Wicks Away Sweat Insite® Footbed Carhartt LWD Lightweight Durable Midsole Durable Slip-Resistant Rubber Outsole 100% Non-Metallic Electrical Hazard Rated Color - Dark Brown ASTM F3445-21

\$155.00 Carhartt-FM6423-M



DRYshield waterproof breathable construction Premium full-grain leather All Day cushioning insole 50% recycled polyester lining Lightly padded collar and tongue top Cement construction Moc toe Lightweight, shock absorbing FLX Foam midsole ASTM F3445-21

\$174.00 Ariat 10063920





Non-metallic carbon safety toe, ASTM F2413 M/I/C rated Meets ASTM F2413 standards for electrical hazard resistant footwear 100% non-metallic, metal detector friendly Meets ASTM F3445 safety standards for slip resistance ATS® technology provides ergonomic support on uneven terrain DRYShield™ waterproof breathable construction Removable Energy Max™ anti-fatigue insole for maximum comfort Cushioning midsole for shock absorption Oil- and slip-resisting Duratread™ sole for maximum wear resistance, passes hot contact test at 300°C/572°F 90° heel Direct-attach construction for lightweight flexibility Reinforced ExGuards™ reduce wear on toe and heel Lightly padded collar and tongue top ASTM F2413 M/I/C EH rated 6" shaft height 1.5" heel height ASTM F3445-21

\$165 Ariat 10054291



ANSI/ASTM F2413 I75 & C75 Approved ASTM F3445 Slip-Resistant Rated American Heritage Series Men's Thorogood 6" Steel Toe Wedge Sole Moc Toe Boot (U.S.A.) 804-4135 Full-Grain Leather Upper Removable Ultimate Shock Absorption Footbed Poron® Comfort Cushion Insole Composite Shank Goodyear Storm Welt Construction MAXWear Oil & Slip-Resistant Wedge Sole Outsole Electrical Hazard Rated Made In The U.S.A. with U.S.A. & Globally Sourced Components Color: Crazy Horse ASTM F3445-21

\$249 Thorogood 804-4135



Asymmetrical composite safety toe Premium full-grain waterproof leather with waterproof membrane and molded TPU reinforcements Upper includes premium Ever-Guard™ leather for abrasion resistance and performance in harsh, corrosive environments Ventilated Anti-Fatigue Technology polyurethane footbed for climate control, shock absorption, and energy return Lightweight Hover Spring™ foam midsole provides industry leading underfoot comfort, flexibility, and durability Oil and slip resistant All-weather TPU outsole for abrasion resistance and lightweight performance in all climates Metal-free upper with eyelet reinforcements and molded TPU dual purpose hooks for lacing customization Microban technology provides an extra layer of protection on footwear fabrics to help against unpleasant odors, stains, and deterioration Non-metallic shank for structural support Combination Goodyear welt and cement forefoot construction for durability and flexibility ASTM F3445-21

\$163.00 Timberland A63FY



ANSI/ASTM I75 & C75 Approved ASTM F3445 Slip-Resistant Rated Men's Thorogood 6" Steel Toe WP Wedge Sole Moc Toe Boot (U.S.A. Made) 804-3676 1957 Series Full-Grain American Leather Upper Waterproof Construction Removable Ultimate Shock Absorption™ Footbed Composite Shank Goodyear Storm Welt Construction MAXWear Wedge™ Oil & Slip-Resistant Outsole Electrical Hazard Rated Made In The U.S.A. with U.S.A. & Globally Sourced Components Color: Brown ASTM F3445-21

\$258.00 Thorogood 804-3676

Height: 6" Full-grain leather Composite safety toe
Waterproof Non-metallic Removable single-density
Polyurethane footbed Composite shank EVA/Rubber
outsole Goodyear welt construction ASTM F3445-21

\$140 Thorogood 804-4143



Muddy River Dark Tan BAR Leather Upper Carbon
Composite Safety Toe Waterproof SCUBALINER
Glove Leather & Mesh Lining AG8 Dual-Density
Removable Footbed Non-Metallic Shank Leather Welt
Construction EVA Midsole Oil & Slip Resisting Rubber
Outsole Electrical Hazard Rated ASTM F3445-21

\$187 Carolina CA7575





Durable waterproof leather upper with abrasion-resistant heel cap Danner® Dry waterproof protection Mutilation free hardware Lightweight EVA footbed offers cushioning comfort Danner® Resurge low-density EVA midsole provides superior rebound and energy return with minimal weight Nylon shank TRAILGUARD ESS platform offers lightweight, athletic performance Danner® Wheat Ridge non-marking oil-and-slip-resistant rubber outsole offers a superior traction from indoor to outdoor environments Electrical hazard protection ASTM F2892-24 EH Aluminum toe meets or exceeds ASTM F2413-24 I/C EH 4.5-inch Imported ASTM F3445-21

\$138.00 Danner 18501



Durable, waterproof, oiled nubuck leather upper Anatomical design and broader toebox for a more responsive fit Danner® Dry waterproof protection New DCS+ dual-density footbed - new memory foam cushioning and improved underfoot air circulation, with an Airthotic® heel clip for support Nylon shank Danner® Comfort System platform offers superior comfort, support and durability Updated Danner® Crafter 2.0 oil-and-slip resistant outsole offers superior traction with a low profile 90° heel Non-marking outsole Electrical hazard protection ASTM F2891-18 EH Non-metallic toe meets or exceeds ASTM F2413-18 I/C EH 6-inch Imported ASTM F3445-21

\$192 Danner 17421



Oil-tanned leather; Lace closure Storm Defender® waterproof breathable membrane keeps feet dry, but lets them breathe FastDry® lining wicks sweat and fights odors Cushioned polyurethane insole for support and shock absorbance Steel toe protects against impact and compression hazards and meets ASTM 2413-17 standards Dual-density rubber outsole with Goodyear® welt construction Secondary protection against incidental contact with electrical circuits of 18,000 volts or less under dry conditions; Meets ASTM 2413-17 electrical hazard standards ASTM F3445-21

\$158 Carhartt CMW6275



Original Fit has generous space across the forefoot for toes to splay Speed-lace webbing system for comfortably snug fit Foam midsole for lightweight cushioning Removable, resilient foam insole for long-lasting cushioning KEEN.ALL-TERRAIN rubber outsole for higher-traction grip 4mm multi-directional lugs for traction Molded heel-capture system for stability External stability shank delivers lightweight stability KEEN.DRY waterproof, breathable membrane seals out moisture from the inside Environmentally preferred premium leather from LWG-certified tannery for cleaner water ASTM F3445-21

\$211 1032239

6 Inches in height ASTM F2413 electrical hazard standard ASTM F2413 protective toe classification BOA® Fit system Flex Welt Construction Guaranteed Rocky® Recycled Waterproof Construction Oil, Slip, Barnyard Acid, and Chemical-Resisting PU Outsole Rocky® Air-Port Lite® Sponge PU Footbed with Memory Foam Waterproof Full Grain Leather ASTM F3445-21

\$179 Rocky RKK0521



Alloy safety toe 6" boot Premium Brown full-grain waterproof leather upper Waterproof membrane Molded toe reinforcement for added abrasion resistance and durability Anti-Fatigue technology polyurethane removable footbed for shock absorption and energy return Compatible with after-market insoles/orthotics OrthoLite foam provides lightweight and moisture wicking comfort Superior indoor/outdoor traction slip resistant outsole Cement construction for flexibility Electrical Hazard (EH) rated Product code: A2QSE-EM8 ASTM F3445-21

\$142 Timberland A2QSE



Features and benefits:

- Carhartt Chelsea style boots keep your feet dry from rain while letting sweat out
- Nano composite toe meet ASTM 2413-18 standards
- With less weight in the toecap, the boot feels more balanced and comfortable over the long haul

ASTM F3445-21

\$134 Carhartt FM4200



Heat, abrasion, and slip-resisting TPU/PU outsole with flex grooves for increased outsole flexibility Georgia waterproof system Fiberglass shank AMP (Advanced Memory Polyurethane) insole ASTM F2413 electrical hazard standard Full-grain leather upper Bond welt construction Carbon safety toe High performance mesh lining ASTM F2413 protective toe classification Twin Gore Panels for Easy On and Off ASTM F3445-21

\$157 Georgia GB00730





KEEN.DRY waterproof, breathable membrane seals out moisture from the inside Heat-resistant rubber outsole rated up to 572°F/300°C Non-mutilating upper reduces the chance of marking or scratching surfaces Cement construction for flexible, lightweight performance. Eco Anti-Odor for natural, pesticide-free odor control Environmentally preferred premium leather from LWG-certified tannery for cleaner water ASTM F3445-21

\$146 1032513



Keg features a pull-up full-grain water resistant leather upper. The 3D mesh lining ensures superior breathability and moisture wicking. The AirToe® aluminum safety toe cap provides maximum protection with a streamlined shape. The footbed in soft polyurethane dynamic compound delivers all-day comfort and support. The direct-attach dual-density PU sole with Infinergy® midsole offers cushioning and energy return and is slip, oil, and abrasion resistant. Electrical Hazard rated. ASTM F3445-21

\$125 UPower UL10194



KEEN.DRY waterproof, breathable membrane seals out moisture from the inside Heat-resistant rubber outsole rated up to 572°F/300°C 100% non-metallic construction for easily passing through metal detectors in highly-secured areas Cement construction for flexible, lightweight performance. KEEN.LOCKFIT firm U-shaped support provides extra heel stability Nylon shank for midfoot support Environmentally preferred premium leather from LWG-certified tannery for cleaner water PFAS-free, durable water repellent repels water just as well as forever chemicals without harming the planet ASTM F3445-21

\$159.00 Keen 1030303



Lightweight Microfiber Upper:Aqua-Tec Waterproof Membrane Carbon Nano Tube Safety Toe Comfort Max Polyurethane Insole Dual Density Outsole Lightweight EVA Midsole Oil & Slip-Resistant Rubber Outsole Puncture-Resistant Foot Bedding Electrical Hazard Protection ASTM F3445-21

\$98 AdTec 9258

Rubber Boots



Steel-Toe Adjustable Gusset Protective Work Boot
Safety matters! Steel-toe protection and all-day comfort! Adjustable gusset style for big calf comfort. Solid rubber, long-wearing outsole for traction and durability ANSI-rated steel toe for safety Meets ASTM F2413-11 M I/75 C/75 EH Meets ASTM-471 for Oil Resistance and ASTM F-1677 for Slip Resistance Rigid triple-layer toe and heel reinforcements Yellow treatments to indicate safety Double achilles heel and instep reinforcement for comfort and protection Removable molded EVA sockliner Features unisex sizing Steel shank for added arch support Customize to fit larger calves for optimum comfort and protection with our expandable gusset and adjustable locking strap. Extra room also accommodates layers of clothing being tucked into the boot ASTM F3445-21
\$166 Dry shod



ASTM - Certified Slip resistant outsole Protective ToeCap Waterproof Cold insulation Oil resistant outsole Chemical Resistant Energy absorbing Antistatic Comfort ASTM F3445-21
\$129.00 Dunlop 6123155

Men's Shoes



Kinetic features an ultra-breathable AIRNET and soft suede upper. The 3D mesh lining ensures superior breathability and moisture wicking. The AirToe® aluminum safety toe cap provides maximum protection with a streamlined shape. The footbed in soft polyurethane dynamic compound delivers all-day comfort and support. The direct-attach dual-density PU sole with Infinergy® midsole offers cushioning and energy return and is slip, oil, and abrasion resistant. Static Dissipative SD 35 rated ASTM F3445-21

\$108 UPower UL20056



Flexion features a soft suede upper with textile inserts. The 3D mesh lining ensures superior breathability and moisture wicking. The AirToe® aluminum safety toe cap provides maximum protection with a streamlined shape. The footbed in soft polyurethane dynamic compound delivers all-day comfort and support. The direct-attach dual-density PU sole with Infinergy® midsole offers cushioning and energy return and is slip, oil, and abrasion resistant. Static Dissipative SD 35 rated ASTM F3445-21

\$114 UPower UL20086



- Toe Type: Composite
- Lining: Microfiber Lining
- 100% Non-Metallic
- Extra Wide Toe
- Dual Resistor (SD10)
- Flex Grooves
- Fuelfoam
- ASTM F2413
- XTR Composite Toe
- Static Dissipative SD10
- Slip Resistant (ASTM F3455)

ASTM F3445-21
\$114 Reebok RB5443



Waterproof full grain leather upper • Double stretch gore for easy on and off • Protective and abrasion resistant rubber toe cap • Breathable mesh lining • Mesh footbed cover • Cleansport NXT™ treated for natural odor control • COMFORTBASE™ removable contoured footbed cradles your foot in all day comfort • Molded nylon arch shank • Merrell Air Cushion in the heel absorbs shock and adds stability • Lightweight EVA foam midsole for stability and comfort • Slip and oil resistant durable rubber outsole; Mark II tested • Heat resistant outsole protection for brief periods of contact that meet or exceed 500 °F • Composite Safety Toe for lightweight protection; rated ASTM F2413-18 I/C • Electrical Hazard (EH) Protection; meets ASTM Safety Standards • Lug: 3mm • Half pair weight: 0lbs-15.86oz, 450g ASTM F3445-21

\$133.00 Merrell J099381



Nano Composite safety toe caps are lightweight, non-metallic/metal detector friendly and non-conductive to heat or cold Nano Composite toe styles meet or exceed ASTM 2413-18 standards Insite footbeds provide high rebound cushion with podiatrist designed arch support Carhartt LWD midsole provides elevated lightweight comfort with the expected Carhartt durability FastDry Technology Lining wicks away sweat for comfort Static dissipative shoes reduce the buildup of static electricity in the workplace Meets the ASTM F2413-18 SD 35 standards ASTM F3445-21

\$95.00 Carhartt FG2465



- ASTM F2413 M/I/C EH Rated
- ASTM F3445 Slip Resistant Rated
- Men's HEYDUDE Composite Toe Metal Free Slip-On Moc Toe Shoe 44701-060
- PU and Canvas Upper with DudeDry Water-Repellant Spray
- Removable DudeSole Foam Arch Support Insole
- DudeFloat Tech Midsole
- DudeGrip Lightweight Slip-Resistant Rubber Outsole
- Reflective Strip
- Elastic Laces
- 100% Non-Metallic
- Electrical Hazard Rated

ASTM F3445-21

\$86 HeyDude 44701

ANSI/ASTM F2413 I75 & C75 Approved ASTM F3445 Slip-Resistant Rated Men's Volcom Chill Camo Composite Toe Casual Slip-On Work Shoe VM30816 Chill Series Canvas Upper Soft Landing Comfort Insole Grip Styk Stone-Themed Oil, Abrasion, Chemical & Slip-Resistant Rubber Outsole Extra Wide Toe Caps 100% Non-Metallic Electrical Hazard Rated Color: Camo ASTM F3445-21

\$105 Volcom VM30816



Non-metallic Light and flexible cement construction ASTM F2413 protective toe classification ASTM F2413 Electrical Hazard Standard 3 Inches in height Non-Marking, Oil & Slip Resisting Dry-Strike Outsole Rocky® Air-Port Lite® Sponge PU Footbed with Memory Foam Waterproof Full Grain Leather with 2mm Neoprene Half Sock ASTM F3445-21

\$100.00 Rocky RKK0514



The easy comfort of your favorite shoe with the protection of a steel toe. Built for indoor environments, Buckeye Safety has a slip-resistant outsole and the long-lasting cushioning you need for working long shifts on hard floors. Removable All Day Cushioning insole FLX Foam midsole has a light, springy feel that cushions each step Oil- and slip-resisting Duratread sole for maximum wear resistance, passes hot contact test at 300°C/572°F Elasticized laces ASTM F2413 I/C EH SR rated 4LR technology provides lightweight support and stability By purchasing this product you are supporting the responsible production of leather at Leather Working Group-certified tanneries ASTM F3445-21

\$101 Ariat Mens 10063828



ANSI/ASTM F2413 I75 & C75 Approved ASTM F3445 Slip-Resistant Rated Men's Florsheim Composite Toe Metal Free Work Shoe FS2780 Fleet Work Elastic Series Mesh Upper Breathable Lycra Lining for All-Day Sweat & Odor Protection Fully Cushioned, Removable Comfortech Footbed Lightweight and Durable EVA Midsole/Outsole with Oil & Slip-Resistant Rubber Pods for Traction & Durability Built-In FlexSole Technology SupaStep Heel Technology and Elastic No-Tie Laces for Effortless Hands-Free Entry 100% Non-Metallic Static Dissipative (SD35) ASTM F3445-21

\$130 Florsheim FS2780



ANSI/ASTM F2413 I75 & C75 Approved ASTM F3445 Slip-Resistant Rated Men's Florsheim Composite Toe Work Shoe FS2782 Fleet Work Elastic Series Crazyhorse Leather Upper Breathable Stretch Lycra Lining for All-Day Sweat & Odor Protection Fully Cushioned, Removable Comfortech Footbed Lightweight and Durable EVA Midsole/Outsole with Oil & Slip-Resistant Rubber Pods for Traction & Durability Built-In FlexSole Technology SupaStep Heel Technology and Elastic No-Tie Laces for Effortless Hands-Free Entry Static Dissipative (SD35) ASTM F3445-21

\$130 Florsheim FS2782



ANSI/ASTM F2413 I75 & C75 Approved ASTM F3445 Slip-Resistant Rated Men's Florsheim Composite Toe Slip-On Work Shoe FS2784 Fleet Work Elastic Series Smooth Leather Upper Fully Cushioned, Removable Comfortech Footbed Lightweight and Durable EVA Midsole/Outsole with Oil & Slip-Resistant Rubber Pods for Traction & Durability Built-In FlexSole Technology SupaStep Heel Technology for Effortless Hands-Free Entry Static Dissipative (SD35) ASTM F3445-21

\$130 Florsheim FS2784



Meet the shoe that's redefining jobsite comfort—the MEGACOMFORT Ergo Europa CT. Engineered for long days and demanding environments, this safety shoe delivers all-day support, lightweight protection, and effortless convenience. Whether you're walking warehouse floors, patrolling a facility, or unloading at the dock, the Ergo Europa CT keeps you moving in comfort—with no compromises. Composite Toe Electrical Hazard Resistant Security Friendly Slip Resistant Step-N-Go ASTM F3445-21

\$120.00 FSI MC152



ANSI/ASTM F2413 I75 & C75 Approved ASTM F3445 Slip-Resistant Rated Men's Reebok Composite Toe Metal Free Slip-On Work Shoes RB5122 Flex Trainer Elevated Ease Hands-Free Series Mesh & TPU Upper Moisture-Wicking Nylon Mesh Lining MemoryTech Massage 2.0 Memory Foam Removable Footbed Duraflex Foam Midsole Slip-Resistant Rubber Outsole Featuring Flex Grooves Stability Cradle Keeps You Locked-In and Focused During Your Workday XTR® Composite Toe Extra Wide Toe Caps 100% Metal Free Static Dissipative (SD10) Color: Gray/Black ASTM F3445-21

\$121.00 Reebok RB5122





ANSI/ASTM F2413 I75 & C75 Approved ASTM F3445 Slip-Resistant Rated Men's DC Composite Toe BOA® Fit System Work Shoes DC60701 Navigator Work Series Action Leather and Mesh Upper Moisture-Wicking Nylon Mesh Lining PU Molded Insole Comfort Cruise Removable Footbed Molded EVA Outsole with Slip-Resistant Rubber Bottom BOA® Lacing System Delivers a Micro-Adjustable, Precision Fit Rubber Toe Bumper and Molded Heel Counter for Durability and Longevity Gusseted Tongue Construction for Added Warmth and Weather Resistance XTR® Composite Toe Extra Wide Toe Caps Electrical Hazard Rated Color: Black/Dark Gray ASTM F3445-21

\$134.00 DC DC60701



ASTM F2413 electrical hazard standard ASTM F3445 slip-resisting Moc toe Full-grain leather upper Rubber outsole with molded EVA midsole 4 Inches in height Mesh lining ecoTweed lining blend of bamboo charcoal promotes foot health Nano composite toe cap ASTM F2413 protective toe classification Flat outsole; no heel UltraLite X EVA compound reduces weight BLEND85 recycled material in footbed Removable cushioned footbed ASTM F3445-21

\$120.00 Twisted X MCAUN01



- Slip Resistant (SR) - Soles designed to provide a high coefficient of friction with the walking surface to improve slip resistance.
- XTR™ Extra wide composite toe protects your feet at work while allowing extra toe room for comfort and movement.
- Iconic Zig Rubber Outsole in a shape that is made to cut down on weight and stiffness and provide pillowy cushioning that offers a seamless stride.
- Targeted foam panels at the tongue and collar offer additional support and comfort.
- Dual Resistor patented technology meets SD10 Static Dissipative standards.

ASTM F3445-21
\$138 Reebok RB3031

ANSI/ASTM I75& C75 Approved Men's Timberland Composite Toe Metal Free Work Shoe A5Z2B Powertrain EV Series Durable, Breathable Ripstop Nylon and Raptex Upper Moisture-Wicking Lining with Antimicrobial Treatment for Odor Control Lightweight, Anti-Fatigue Technology EVA Midsole Cement Construction Heat, Oil, Abrasion & Slip-Resistant Non-Marking Rubber Outsole Asymmetrical Composite Safety Toe 100% Non-Metallic Electrical Hazard Rated Color: Grey/Black/Orange ASTM F3445-21

\$108 A5Z2B



Women's Footwear

Lightweight Microfiber Upper Aqua-Tec Waterproof Membrane Carbon Nano Tube Safety Toe Comfort Dual Density Outsole Max Polyurethane Insole Lightweight EVA Midsole Oil & Slip-Resistant Rubber Outsole Puncture-Resistant Foot Bedding Electrical Hazard Protection ASTM F3445-21

\$84.00 AdTec 8262



Women's Athletic Work Shoe XTR™ Extra wide composite toe reduces weight while maintaining impact protection (meets or exceeds ASTM F2413) Electrical Hazard Protection Metal Free Slip Resistant (SR) - Soles designed to provide a high coefficient of friction with the walking surface to improve slip resistance. Iconic Zig Rubber Outsole in a shape that is made to cut down on weight and stiffness and provide pillowy cushioning that offers a seamless stride. Engineered mesh uppers with reflective overlays and dip dye treatments on midsole will turn heads at work. Targeted foam panels at the tongue and collar offer additional support and comfort. Experience easy work with high flexibility in the midfoot, spaciousness in the forefoot, and high cushioning underfoot ASTM F3445-21

\$130 Reebok RB303





Cushion insole EVA midsole Non-metallic Abrasion-resistant toe and heel guards ASTM F2413 protective toe classification ASTM F2413 electrical hazard standard MARK II ASTM F1677 tested slip-resistant outsole Rubber outsole inserts Textile upper Composite toe Weight: 1.8 pounds per pair for a size 10 ASTM F3445-21

\$86 Nautilus N5200



- ANSI/ASTM I/75 & C/75 Approved
- Women's Hoss Express Composite Toe Metal Free Athletic Work Shoe 24533
- Microfiber Leather and Nylon Mesh Upper
- Lightweight Composite Safety Toe
- Fiberglass Shank
- Dual-Density Rebound Insole
- Slip-Resistant Carbon Rubber Outsole
- 100% Non-Metallic
- Electrical Hazard Rated

ASTM F3445-21
\$81 Hoss 24533

ANSI/ASTM F2413 I75 & C75 Approved Women's Reebok Composite Toe Metal Free Work Shoe RB133 FloatZig 2 Work Series Mesh and TPU Upper Moisture-Wicking Nylon Mesh Lining EVA Cushion Removable Footbed SuperFloat+ Critical Foam Zig Midsole Energy-Branded Slip-Resistant Outsole Molded Internal Heel Counter Enhances Energy Return and Spring In Your Step XTR® Extra Wide Toe Caps 100% Non-Metallic Static Dissipative (SD10) Dual Resistor Color: Dark Gray/Teal ASTM F3445-21

\$131.00 Reebok RB133



ANSI/ASTM F2413 I75 & C75 Approved ASTM F3445 Slip-Resistant Rated Women's Reebok Composite Toe Metal Free Work Shoe RB630 Fuel Flex Work Series Mesh and TPU Upper Moisture-Wicking Nylon Mesh Lining Insite Lux Sock Liner MemoryTech Memory Foam Removable Footbed Brand New Geometric FuelFlex Injection EVA Midsole Creates All Day Comfort FuelFlex Slip-Resistant Rubber Outsole Targeted Foam Panels at the Tongue and Collar Provide Additional Comfort and Support XTR® Extra Wide Toe Caps 100% Non-Metallic Electrical Hazard Rated Color: Black ASTM F3445-21

\$111.00 Reebok RB630



- ANSI/ASTM I/75 & C/75 Approved
- Women's Hoss Reno Composite Toe WP Metal Free Athletic Work Shoe 20230
- Action Leather and Nylon Mesh Upper
- Waterproof Membrane
- Lightweight Composite Safety Toe
- Fiberglass Shank
- Dual-Density Rebound Insole
- Slip-Resistant Carbon Rubber Outsole
- 100% Non-Metallic
- Electrical Hazard Rated

ASTM F3445-21
\$90 Hoss 20230



- ASTM F2413 M/I/C EH Rated
- ASTM F3445 Slip Resistant Rated
- PU and Canvas Upper with DudeDry Water-Repellant Spray
- Removable DudeSole Foam Arch Support Insole
- DudeFloat Tech Midsole
- DudeGrip Lightweight Slip-Resistant Rubber Outsole
- Reflective Strip
- 100% Non-Metallic
- Electrical Hazard Rated

ASTM F3445-21
\$86 HeyDude 44289



The easy comfort of your favorite shoe with the protection of a steel toe. Built for indoor environments, Buckeye Safety has a slip-resistant outsole and the long-lasting cushioning you need for working long shifts on hard floors. Removable All Day Cushioning insole FLX Foam midsole has a light, springy feel that cushions each step Oil- and slip-resisting Duratread sole for maximum wear resistance, passes hot contact test at 300°C/572°F Elasticized laces ASTM F2413 I/C EH SR rated 4LR technology provides lightweight support and stability By purchasing this product you are supporting the responsible production of leather at Leather Working Group-certified tanneries ASTM F3445-21

\$101 Ariat Wmens 10064035



Meet the shoe that's redefining jobsite comfort—the MEGACOMFORT Ergo Europa CT. Engineered for long days and demanding environments, this safety shoe delivers all-day support, lightweight protection, and effortless convenience. Whether you're walking warehouse floors, patrolling a facility, or unloading at the dock, the Ergo Europa CT keeps you moving in comfort—with no compromises. Composite Toe Electrical Hazard Resistant Security Friendly Slip Resistant Step-N-Go ASTM F3445-21

\$120.00 FSI MC156





Leather upper UltraLite X™ utilizes a unique EVA compound to create footwear that is on average 20% lighter Steel toe (ASTM F2413-24 I/C EH SRO) Nylon laces Mesh lining Molded EVA footbed with ecoTWEED™ Lining. ecoTWEED™ material is made from recycled plastic bottles. Compression-molded EVA midsole Oil and slip resistant rubber outsole (ASTM F3445-24 SRO) ASTM F3445-21

\$112.00 Twisted X WCAUS01



Steel Toe Meets or exceed ASTM 2413-18 standards. Water resistant leather upper with stretch gore Rain Defender® repels water to keep your feet dry in light rain. Insite®: footbeds provide high rebound cushion with podiatrist designed arch support. Lightweight EVA midsole combines flexibility with maximum comfort and rebound. Durable rubber outsole with dirt releasing lugs and a 90 degree heel. FastDry™ Technology Lining wicks away sweat for comfort. Imported ASTM F3445-21

\$126 Carhartt fn6294



Durable leather upper Collar with memory foam for superior comfort Storm Defender™ waterproof breathable protection FastDry™ technology lining wicks away sweat Carhartt LWD (lightweight durable) midsole with Insite® footbed Nylon shank Cement constructed with Carhartt rubber Millbrook outsole Outsole heat rating testing up to 300 °C/572 °F Slip resistant outsole Nano safety toe rated ASTM F2413-24 EH SR Imported ASTM F3445-21

\$146.00 Carhartt FM6444

Features and benefits:



- Jungle Boot is a 6 inch high Ankle Boot with a convenient industrial grade Side Zip so you can tie your laces for the perfect fit and use the zipper for speedy on and off.
- Made from premium Sand colored Leather that is ethically and environmentally sourced.
- The low-cut scalloped collar and padded tongue assist ease of movement and feature on-trend animal print.

ASTM F3445-21

\$206 Steel blue 812861



Waterproof and stain-resistant leather upper certified by LWG Metal hardware KEEN.DRY waterproof, breathable membrane seals out moisture from the inside Removable metatomeal insole Mesh liner provides breathability to help keep feet cool in warm environments Keen Luftcell midsole infused with millions of microscopic bubbles for all-day comfort Nylon Shank Cement construction for flexible, lightweight performance Oil- and slip-resistant non-marking rubber outsole Heat-resistant rubber outsole rated up to 572°F/300°C Outsole channels direct water away from better grip in wet conditions Aluminum safety toe weighs 35% less than steel and offers a sleeker toe profile Electrical hazard protection ASTM F3445-21

\$156 Keen 1029696



This is the women's 10" Western Waterproof Steel Toe Rugged Tan Durango® Maverick™. This style is full-grain leather with a faux shaft, has a soft mesh lining, waterproof membrane bootie construction and the Durango® X-Pand System™ which is a hidden gore expansion for universal fit and easy on/off. It also includes the Durango® X-Treme Comfort Footbed™ with memory foam for all day comfort and support. This style also features a fiberglass shank which provides lightweight stability and the rolled shank area allows easy placement in the stirrup. The style is finished off with a slip and oil-resistant rubber outsole, single row sole stitch, 1 1/8" rocker heel and square toe. Pull on all-day work comfort in this women's 10" Western Waterproof Steel Toe Rugged Tan Durango® Maverick™. Get a pair today! ASTM F3445-21

\$152 Durango DRD0416



Premium full-grain leather for durability All Day Cushioning insole for maximum comfort Puncture resistant, metal-free SWEN-FLEX® insole board Lightweight, shock-absorbing FLX Foam™ midsole ASTM F2413-18 F/I/C PR EH rated safety toe Certified to CSA® Standard Z195-14 for toe protection ASTM F3445-21

\$183 Ariat 10063856



Height: 10" Horseman heel 1.5" heel height Square toe 4LR technology provides lightweight support and stability DRYShield waterproof breathable construction U-Turn Entry System lets people with high arches easily slip on their boots VentTEK mesh panels keep you cool Removable All Day Cushioning insole Lightweight EVA midsole absorbs shock Oil- and slip-resisting Duratread sole for maximum wear resistance, passes hot contact test at 300°C/572°F 90° heel ASTM F2413 F/I/C EH rated Non-metallic toe, meets ASTM standards for safety toe footwear Metal detector friendly ASTM F3445-21

\$174 Ariat 10050827



Oil tanned leather upper Storm Defender™ waterproof, breathable protection FastDry™ lining wicks away sweat and moisture Lightweight EVA midsole combines flexibility with maximum comfort and rebound Insite® footbeds – high rebound cushion with podiatrist designed arch support Fiberglass shank Non-mutilating and non-metallic Durable oil- and slip-resistant non-marking rubber lug outsole 90° heel with ladder lock grooves Heat-resistant outsole rated up to 300°C/572°F Nano Composite safety toe – lightweight, non-metallic, non-conductive Electrical Hazard (EH) footwear provides secondary protection against accidental contact with live circuits in dry conditions Meets ASTM F2413-24 EH standards Meets ASTM F3445-24 SR standards ASTM F3445-21

\$196 Carhartt FQ1425